

# Legacy Message Formats for Condition of Bond Transactions

## EBN -- Enter Conditions of Bond

*Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.*

### Message Structure:

ssss.ccccccccc.oid.EBnc.<ori>

### Such That:

ssss	4		Mnemonic of Sending Device
cccccccc	1-10	Optional	Control Field; Used for routing within the interface system
c			Message Key Qualifier
			C        Caution
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

### Followed By:

.<nam>	3-30	Required	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<sex>	1	Required	Sex. M=male, F=female or U=unknown
.<rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<pob>	2		Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.<dob>	8	Required	Date of Birth in YYYYMMDD format
.<exp>	6 or 8	Required	Expiration Date. YYYYMMDD format. Must be greater than ISD. May be the characters NONEXP for Non Expiring Bonds.
.<hgt>	3		Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.<wgt>	3		Weight. Minimum of 050 and maximum of 499.
.<eye>	3		Eye Color. Code as defined in the NCIC 2000 Code Manual.
.<hai>	3		Hair Color. Code as defined in the NCIC 2000 Code Manual.
.<fbi>	1-9		FBI Number. One to nine alphanumeric.
.<skn>	3		Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.<smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.<fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.<mnu>	4-15		Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.<soc>	9		Social Security Number
.<oln>	1-20	Cond. Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Cond. Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Cond. Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.<brd>	1		Brady Indicator. Always Y for non magistrate Bonds.
.<isd>	8	Required	Issue Date. YYYYMMDD format.
.<oca>	1-20	One of Set (1)	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.<mis>	1-500		Miscellaneous. Free text.
.<cbm>	1-50		Bond Condition Remarks. Alphanumeric or comma only
.<noa>	1		Notify Originating Agency. Must be either Y or N.
.<lic>	1-10	Cond. Set (2)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.<lis>	2	Cond. Set (2)	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Cond. Set (2)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Cond. Set (2)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.<vin>	1-20	Cond. Set (3)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4	Cond. Set (3)	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.<vma>	2-24	Cond. Set (3)	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	Cond. Set (3)	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Cond. Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.

.<vco>	3 or 7		Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.<cmc>	2		Caution/Medical Condition. Code as defined in the NCIC 2000 Code Manual.
.<cti>	9	Required	Court's FBI assigned Originating Agency Identifier
.<ppn>	3-30		Protected Person Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<psx>	1	Cond. Set (4)	Protected Person Sex. M=male, F=female or U=unknown.
.<ppr>	1	Cond. Set (4)	Protected Person Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown.
.<ppb>	8	One of Set (2) & Cond. Set (4)	Protected Person Date of Birth in YYYYMMDD format.
.<psn>	9	One of Set (2) & Cond. Set (4)	Protected Person Social Security Number.
.<dna>	1		DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding Location of DNA data.
.<dlo>	1-250		DNA Location. Free text. Alphabetic, numeric, and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
.<etn>	1		Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.<sid>	3-10		State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states.
.<ctd>	3-30	Required	Court Descriptor. Name of Court issuing the Conditions of Bond.
.<rpp>	2	Required	Relationship to Protected Person. Numeric value 01-19.
.<adr>	1-30	Required	Address of Defendant.
.<adc>	1-20	Required	City of Defendant.
.<ads>	2	Required	State of Defendant.
.<adz>	5 or 9	Required	Zip of Defendant.
.<acc>	3	Required	County Code of Defendant. Numeric value 001 - 254, representing the Texas County Code.
.<ppe>	1		Protected Person Ethnicity. H=Hispanic, N=Non-Hispanic, or U=Unknown.
.<ppa>	1-30	Cond. Set (5)	Protected Person Address.
.<ppc>	1-20	Cond. Set (5)	Protected Person City.
.<pst>	2	Cond. Set (5)	Protected Person State.
.<ppz>	5 or 9	Cond. Set (5)	Protected Person Zip.
.<pcc>	3		Protected Person County Code. Numeric value 001 - 254, representing the Texas County Code.
.<pen>	1-20	Cond. Set (6)	Protected Person Employment Name.
.<pea>	1-30	Cond. Set (6)	Protected Person Employment Address.
.<pec>	1-20	Cond. Set (6)	Protected Person Employment City.
.<pes>	2	Cond. Set (6)	Protected Person Employment State.
.<pez>	5 or 9	Cond. Set (6)	Protected Person Employment Zip.
.<tob>	1	Required	Type of Bond. Alphabetic only.
.<aob>	1-9	Required	Amount of Bond. Numeric only.
.<cob>	2-12	Required	Conditions of Bond. Alphanumeric.

### MBN -- Modify Conditions of Bond

Note: To delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

#### Message Structure:

ssss.cccccccc.oid.MBN.<ori>

#### Such That:

ssss	4		Mnemonic of Sending Device
cccccccc	1-10	Optional	Control Field; Used for routing within the interface system
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

#### Followed By:

.NAM/<nam>	3-30		Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20		Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

#### Followed by at least one of the following:

.MKE/<mke>	3-4		Message Key. Permits the change of the Message Key Qualifier.
.ORI/<ori>	9		Originating Agency Identifier of the record's owner.
.LIC-VCO/<lic-vco>	1		Can be omitted or X to remove all Registration and Vehicle data.
.NAM/<nam>	3-30		Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.

.SEX/<sex>	1	Sex. M=male, F=female or U=unknown
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.POB/<pob>	2	Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.EXP/<exp>	6 or 8	Expiration Date. YYYYMMDD format. Must be greater than ISD. May be the characters NONEXP for Non Expiring Bonds.
.HGT/<hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.WGT/<wgt>	3	Weight. Minimum of 050 and maximum of 499.
.EYE/<eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/<hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumerics.
.SKN/<skn>	3	Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/<fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. Texas requires 8 numerics only.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.BRD/<brd>	1	Brady Indicator. Always Y for non magistrate Bonds.
.ISD/<isd>	8	Issue Date. YYYYMMDD format.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.MIS/<mis>	1-500	Miscellaneous. Free text.
.NOA/<noa>	1	Notify Originating Agency. Must be either Y or N.
.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CVA/<cva>	1-8	Alphanumeric
.PNO/<pno>	1-15	Condition of Bond Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed.
.CTI/<cti>	9	Court's FBI Assigned ORI.
.PPN/<ppn>	3-30	Protected Person Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.PSX/<psx>	1	Protected Person Sex. M=male, F=female or U=unknown.
.PPR/<ppr>	1	Protected Person Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown.
.PPB/<ppb>	8	Protected Person Date of Birth in YYYYMMDD format
.PSN/<psn>	9	Protected Person Social Security Number.
.CMC/<cmc>	2	Caution/Medical Conditions. Must be a valid NCIC-assigned code.
.DNA/<dna>	1	DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding DNA location.
.DLO/<dlo>	1-250	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.CTD/<ctd>	3-30	Court Descriptor. Name of Court issuing the Condition of Bond
.ETN/<etn>	1	Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.SID/<sid>	3-10	State ID Number. The first two characters must be a valid state code. The remaining characters must be numeric for Texas or alphanumeric for other states.
.RPP/<rpp>	2	Relationship to Protected Person. Numeric value 01-19.

.ADR/<adr>	1-30	Defendant Address
.ADC/<adc>	1-20	Defendant City
.ADS/<ads>	2	Defendant State
.ADZ/<adz>	5 or 9	Defendant Zip
.ACC/<acc>	3	Defendant County Code. Numeric value 001 - 254, representing the Texas County Code.
.PPE/<ppe>	1	Protected Person Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.PPA/<ppa>	1-30	Protected Person Address
.PPC/<ppc>	1-20	Protected Person City
.PST/<pst>	2	Protected Person State. Code as defined in the NCIC 2000 Code Manual.
.PPZ/<ppz>	5 or 9	Protected Person Zip
.PCC/<pcc>	3	Protected Person County Code. Numeric value 001 - 254, representing the Texas County Code.
.PEN/<pen>	1-20	Protected Person Employment Name
.PEA/<pea>	1-30	Protected Person Employment Address
.PEC/<pec>	1-20	Protected Person Employment City
.PES/<pes>	2	Protected Person Employment State
.PEZ/<pez>	5 or 9	Protected Person Employment ZIP Code
.VLN/<vln>	3-30	Validator Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
.LKI/<lki>	9	Linked Agency ORI
.LKA/<lka>	1-20	Linked Case Number. Alphanumeric, hyphen, and space allowed.
.TOB/<tob>	1	Type of Bond (alphabetic only).
.AOB/<aob>	1-9	Amount of Bond (numeric only).
.COB/<cob>	2-12	Condition of Bond (alphanumeric).

#### **XBN -- Cancel Conditions of Bond**

Message Structure:

{ssss}ccccccccc.uid.XBN.<ori>

*Such That:*

ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

*Followed by these required fields:*

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.DOC/<doc>	8	Date of Cancel.

#### **CBN -- Clear Conditions of Bond**

Message Structure:

{ssss}ccccccccc.uid.CBN.<ori>

*Such That:*

ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

*Followed by these required fields:*

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.DCL/<dcl>	8	Date of Clear.

## QBN -- Query Conditions of Bond

### Message Structure:

{ssss}ccccccccc.uid.QBN.<ori>

### Such That:

Ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by:

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The Comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
------------	------	---

### Followed by at least one of the following:

.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumerics.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.LIC/<lic>	1-10	Cond. Set (1) License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.LIS/<lis>	2	Cond. Set (1) License Plate State. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.

### And optionally:

.SEX/<sex>	1	Sex. M=male, F=female or U=unknown
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown

### OR

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The Comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

### OR

.TIC/<tic>	12	Alphanumeric only
------------	----	-------------------

### Followed optionally by:

.IND/<ind>	1	Image request. Y, N, or blank
.EBS/<ebs>	1	Expanded birth date search. 1=entered date and +/- one year, 2=entered date and entered yr with month/day transposed, 3=combined 1 and 2
.ENS/<ens>	1	Expanded Name Search. Y, N, or blank
.RSH/<rsh>	1	Related Search Hit. Y, N, or blank

## ENBN -- Enter Supplemental Conditions of Bond

### Message Structure:

{ssss}cccccccc.uid.ENBN.<ori>

### Such That:

Ssss	4	Mnemonic of Sending Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by the following:

.NAM/<nam>	3-30	Required	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

### Followed by at least one of the following (up to nine total per transaction – each set counts as one):

.AKA/<aka>	3-30		Alias Names.
.DOB/<dob>	8		Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10		Scars, Marks, Tattoos & Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.MNU/<mnu>	4-15		Miscellaneous Number. Alphanumeric. The 1 <sup>st</sup> 2 characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9		Social Security Number
.OLN/<oln>	1-20	One of Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	One of Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	One of Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	One of Set (2)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.<lis>	2	One of Set (2)	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	One of Set (2)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics 'NX' to represent a nonexpiring license plate.
.<lit>	2	One of Set (2)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	One of Set (3)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabets only, or spaces cannot be used.
.<vyr>	2-24	One of Set (3)	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vma>	2	One of Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	One of Set (3)	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	One of Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	One of Set (3)	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2		Caution /Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
			Protected Person Set. When submitted, PPN, PCC and either PPB or PSN are required set members.
.PPN/<ppn>	3-30	One of Set (4)	Protected Person Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<psx>	1	One of Set (4)	Protected Person Sex. M=male, F=female or U=unknown
.<ppr>	1	One of Set (4)	Protected Person Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<ppb>	8	One of Set (4)	Protected Person Date of Birth in YYYYMMDD format
.<pcc>	3	One of Set (4)	Protected Person County Code. Numeric value 001 - 254, representing the Texas County Code. Mandatory when PPN is entered.
.<ppe>	1	One of Set (4)	Protected Person Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.<psn>	9	One of Set (4)	Protected Person Social Security Number
.IMN/<imn>	10	One of Set (5)	Image Number (alphanumeric).
.<imt>	1	One of Set (5)	Image Type (alphabetic).
.COB/<cob>	2-12		Condition of Bond (alphanumeric).
.SID/<sid>	3-10		State Record Identification number (alphanumeric).

## XNBN -- Cancel Supplemental Conditions of Bond

### Message Structure:

{ssss}ccccccccc.uid.XNBN.<ori>

### Such That:

Ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by the following:

.NAM/<nam>	3-30	Required	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

### Followed by at least one of the following (up to nine total per transaction - each set counts as one):

.AKA/<aka>	3-30		Alias Names.
.DOB/<dob>	8		Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10		Scars, Marks, Tattoos & Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.MNU/<mnu>	4-15		Miscellaneous Number. Alphanumeric. The 1 <sup>st</sup> 2 characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9		Social Security Number
.OLN/<oln>	1-20	One of Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	One of Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	One of Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	One of Set (2)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.<lis>	2	One of Set (2)	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	One of Set (2)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics 'NX' to represent a nonexpiring license plate.
.<lit>	2	One of Set (2)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	One of Set (3)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetics only, or spaces cannot be used.
.<vyr>	2-24	One of Set (3)	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vma>	2	One of Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	One of Set (3)	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	One of Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	One of Set (3)	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2		Caution /Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
.PPN/<ppn>	3-30	One of Set (4)	Protected Person Set. When submitted, PPN, PCC and either PPB or PSN are required set members. Protected Person Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<psx>	1	One of Set (4)	Protected Person Sex. M=male, F=female or U=unknown
.<ppr>	1	One of Set (4)	Protected Person Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<ppb>	8	One of Set (4)	Protected Person Date of Birth in YYYYMMDD format
.<pcc>	3	One of Set (4)	Protected Person County Code. Numeric value 001 - 254, representing the Texas County Code. Mandatory when PPN is entered.
.<ppe>	1	One of Set (4)	Protected Person Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.<psn>	9	One of Set (4)	Protected Person Social Security Number
.IMN/<imn>	10	One of Set (5)	Image Number (alphanumeric).
.<imt>	1	One of Set (5)	Image Type (alphabetic).
.COB/<cob>	2-12		Condition of Bond (alphanumeric).
.SID/<sid>	3-10		State Record Identification number (alphanumeric).

## ENBT -- Enter Conditions of Bond Protected Person Supplemental

### Message Structure:

{ssss}ccccccccc.uid.ENBT.<ori>

### Such That:

Ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by the following:

.NAM/<nam	3-30	Required	Defendant Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.PPN/<ppn>	3-30	Required	Protected Person Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.PPB/<ppb>	8	Optional	Protected Person DOB in YYYYMMDD format.
.PSN/<psn>	9	Optional	Protected Person Social Security Number.

### Followed by at least one of the following:

.PPA/<ppa>	3-30	Set - 1	Protected Person Address.
.<ppc>	3-20	Set - 1	Protected Person City.
.<pst>	2	Set - 1	Protected Person State. Code as defined in the NCIC 2000 Code Manual.
.<ppz>	5 or 9	Set - 1	Protected Person Zip.
.<pcc>	3	Set - 1	Protected Person County Code.
.PEN/<pen>	1-20	Set - 2	Protected Person Employer Name.
.<pea>	3-30	Set - 2	Protected Person Employer Address.
.<pec>	3-20	Set - 2	Protected Person Employer City.
.<pes>	2	Set - 2	Protected Person Employer State. Code as defined in the NCIC 2000 Code Manual.
.<pez>	5 or 9	Set - 2	Protected Person Employer ZIP.
.CCN/<ccn>	1-20	Set - 3	Protected Person Child Care Name.
.<cca>	3-30	Set - 3	Protected Person Child Care Address.
.<ccc>	3-20	Set - 3	Protected Person Child Care City.
.<ccs>	2	Set - 3	Protected Person Child Care State. Code as defined in the NCIC 2000 Code Manual.
.<ccz>	5 or 9	Set - 3	Protected Person Child Care ZIP.

## XNBT -- Cancel Conditions of Bond Protected Person Supplemental

### Message Structure:

{ssss}ccccccccc.uid.ENBT.<ori>

### Such That:

Ssss	4	Mnemonic of Sending Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
.<uid>	7	TLETS user id
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by the following:

.NAM/<nam	3-30	Required	Defendant Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.PPN/<ppn>	3-30	Required	Protected Person Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.PPB/<ppb>	8	Optional	Protected Person DOB in YYYYMMDD format.
.PSN/<psn>	9	Optional	Protected Person Social Security Number.

### Followed by at least one of the following:

.PPA/<ppa>	3-30	Set - 1	Protected Person Address.
.<ppc>	3-20	Set - 1	Protected Person City.
.<pst>	2	Set - 1	Protected Person State. Code as defined in the NCIC 2000 Code Manual.
.<ppz>	5 or 9	Set - 1	Protected Person Zip.
.<pcc>	3	Set - 1	Protected Person County Code.
.PEN/<pen>	1-20	Set - 2	Protected Person Employer Name.
.<pea>	3-30	Set - 2	Protected Person Employer Address.
.<pec>	3-20	Set - 2	Protected Person Employer City.
.<pes>	2	Set - 2	Protected Person Employer State. Code as defined in the NCIC 2000 Code Manual.



.<pez>	5 or 9	Set - 2	Protected Person Employer ZIP.
.CCN/<ccn>	1-20	Set - 3	Protected Person Child Care Name.
.<cca>	3-30	Set - 3	Protected Person Child Care Address.
.<ccc>	3-20	Set - 3	Protected Person Child Care City.
.<ccs>	2	Set - 3	Protected Person Child Care State. Code as defined in the NCIC 2000 Code Manual.
.<ccz>	5 or 9	Set - 3	Protected Person Child Care ZIP.