

Legacy Message Formats for Extreme Risk Protection Order Transactions

ERO -- Enter Extreme Risk Protection Order

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EtROc.<ori>

Such That:

| | | | |
|----------|------|----------|--|
| ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| t OR c | | Optional | Message Key Qualifier (if both are present, omit O from MKE) |
| | | | C Caution |
| | | | T Temporary |
| .<ori> | 9 | | Agency's FBI assigned Originating Agency Identifier |

Followed By:

| | | | |
|--------|--------|----------------|--|
| .<nam> | 3-30 | Required | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .<sex> | 1 | Required | Sex. M=male, F=female or U=unknown |
| .<rac> | 1 | Required | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown |
| .<pob> | 2 | | Place of Birth. Code as defined in the NCIC 2000 Code Manual. |
| .<dob> | 8 | Required | Date of Birth in YYYYMMDD format |
| .<exp> | 6 or 8 | Required | Expiration Date. YYYYMMDD format. Must be greater than ISD. May be the characters NONEXP for Non Expiring Orders. |
| .<hgt> | 3 | | Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711. |
| .<wgt> | 3 | | Weight. Minimum of 050 and maximum of 499. |
| .<eye> | 3 | | Eye Color. Code as defined in the NCIC 2000 Code Manual. |
| .<hai> | 3 | | Hair Color. Code as defined in the NCIC 2000 Code Manual. |
| .<fbi> | 1-9 | | FBI Number. One to nine alphanumerics. |
| .<skn> | 3 | | Skin Tone. Code as defined in the NCIC 2000 Code Manual. |
| .<smt> | 3-10 | | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .<fpc> | 20 | | Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. |
| .<mnu> | 4-15 | | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .<soc> | 9 | | Social Security Number |
| .<oln> | 1-20 | Cond. Set (1) | Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .<ols> | 2 | Cond. Set (1) | Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .<oly> | 2 or 4 | Cond. Set (1) | Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license. |
| .<isd> | 8 | Required | Issue Date. YYYYMMDD format. |
| .<oca> | 1-20 | One of Set (1) | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |
| .<mis> | 1-500 | | Miscellaneous. Free text. |
| .<noa> | 1 | | Notify Originating Agency. Must be either Y or N. |
| .<lic> | 1-10 | Cond. Set (2) | License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .<lis> | 2 | Cond. Set (2) | License Plate State. Code as defined in the NCIC 2000 Code Manual. |

| | | | |
|--------|--------|----------------|---|
| .<liy> | 2 or 4 | Cond. Set (2) | License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate. |
| .<lit> | 2 | Cond. Set (2) | License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .<vin> | 1-20 | Cond. Set (3) | Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used. |
| .<vyr> | 4 | Cond. Set (3) | Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. |
| .<vma> | 2-24 | Cond. Set (3) | Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .<vmo> | 2-3 | Cond. Set (3) | Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .<vst> | 2 | Cond. Set (3) | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vco> | 3 or 7 | Cond. Set (3) | Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |
| .<orn> | 3-15 | One of Set (1) | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |
| .<cti> | 9 | | Court Assigned ORI. |
| .<pet> | 3-30 | | Name of petitioner. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .<cmc> | 2 | | Caution / Medical Conditions. Must be a valid NCIC-assigned code. |
| .<dna> | 1 | | DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data. |
| .<dlo> | 1-250 | | DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank. |
| .<ctz> | 2 | | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .<etn> | 1 | | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown |
| .<svc> | 1 | | Service Information. 1=Served, 2=Not Served, 3=Unknown. |
| .<svd> | 8 | | Service Date in YYYYMMDD format. If SVC is 1, SVD is required. |
| .<lki> | 9 | | Linkage Agency ORI |
| .<lka> | 3-20 | | Linkage Agency Case Number. |
| .<sid> | 3-10 | | State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states. |

MPO -- Modify Protection Order

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MtRO.<ori>

Such That:

| | | | |
|----------|------|----------|---|
| Ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| t | | Optional | Message Key Qualifier |
| | | | T Temporary |
| .<ori> | 9 | | Agency's FBI assigned Originating Agency Identifier |

Followed by only two of the following (Selection Criteria):

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .NIC/<nic> | 10 | NIC number. Number assigned by NCIC upon record entry. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .ORN/<orn> | 3-15 | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed by at least one of the following:

| | | |
|------------|------|-----------------|
| .VLN/<vln> | 3-30 | Validator Name. |
|------------|------|-----------------|

| | | |
|-------------|--------|---|
| .MKE/<mke> | 3-4 | Message Key. Permits the change of the Message Key Qualifier. |
| .ORI/<ori> | 9 | Originating Agency Identifier of the record's owner. |
| .LIC-VCO/<> | {null} | Removes all data in LIC and VCO sets |
| .NAM/<nam> | 3-30 | Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .SEX/<sex> | 1 | Sex. M=male, F=female or U=unknown |
| .RAC/<rac> | 1 | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown |
| .POB/<pob> | 2 | Place of Birth. Code as defined in the NCIC 2000 Code Manual. |
| .DOB/<dob> | 8 | Date of Birth in YYYYMMDD format |
| .EXP/<exp> | 6 or 8 | Expiration Date. YYYYMMDD format. Must be greater than ISD. May be the characters NONEXP for Non Expiring Orders. |
| .HGT/<hgt> | 3 | Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711. |
| .WGT/<wgt> | 3 | Weight. Minimum of 050 and maximum of 499. |
| .EYE/<eye> | 3 | Eye Color. Code as defined in the NCIC 2000 Code Manual. |
| .HAI/<hai> | 3 | Hair Color. Code as defined in the NCIC 2000 Code Manual. |
| .FBI/<fbi> | 1-9 | FBI Number. One to nine alphanumeric. |
| .SKN/<skn> | 3 | Skin Tone. Code as defined in the NCIC 2000 Code Manual. |
| .SMT/<smt> | 3-10 | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .FPC/<fpc> | 20 | Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. |
| .MNU/<mnu> | 4-15 | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .SOC/<soc> | 9 | Social Security Number |
| .OLN/<oln> | 1-20 | Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .OLS/<ols> | 2 | Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .OLY/<oly> | 2 or 4 | Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX' to represent a non-expiring license..PCO/<pco> 2 Protection Order Conditions. Numeric value 01, 02, 03, 04, 05, 06, 07, 08, and 09. |
| .ISD/<isd> | 8 | Issue Date. YYYYMMDD format. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |
| .MIS/<mis> | 1-500 | Miscellaneous. Free text. |
| .NOA/<noa> | 1 | Notify Originating Agency. Must be either Y or N. |
| .LIC/<lic> | 1-10 | License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .LIS/<lis> | 2 | License Plate State. Code as defined in the NCIC 2000 Code Manual. |
| .LIY/<liy> | 2 or 4 | License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics 'NX' to represent a nonexpiring license plate. |
| .LIT/<lit> | 2 | License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .VIN/<vin> | 1-20 | Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetics only, or spaces cannot be used. |
| .VYR/<vyr> | 4 | Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. |
| .VMA/<vma> | 2-24 | Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .VMO/<vmo> | 2-3 | Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .VST/<vst> | 2 | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .VCO/<vco> | 3 or 7 | Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |
| .ORN/<orn> | 3-15 | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |
| .CTI/<cti> | 9 | Court Assigned ORI. |
| .PET/<pet> | 3-30 | Petitioner Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. If used, the comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .CMC/<cmc> | 2 | Caution / Medical Conditions. Must be a valid NCIC-assigned code. |
| .DNA/<dna> | 1 | DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding |

| | | |
|------------|-------|---|
| .DLO/<dlo> | 1-250 | obtaining DNA data. |
| .CTZ/<ctz> | 2 | DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank. |
| .ETN/<etn> | 1 | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .SVC/<svc> | 1 | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown |
| .SVD/<svd> | 8 | Service Information. 1=Served, 2=Not Served, 3=Unknown. |
| .LKI/<lki> | 9 | Service Date in YYYYMMDD format. (if SVC is 1, SVD is required) |
| .LKA/<lka> | 3-20 | Linkage Agency ORI |
| .SID/<sid> | 3-10 | Linkage Agency Case Number. |
| | | State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states. |

XRO -- Cancel Extreme Risk Protection Order

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XtPO.<ori>

Such That:

| | | | |
|----------|------|----------|---|
| Ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| t | | Optional | Message Key Qualifier |
| | | | T Temporary |
| .<ori> | 9 | | Agency's FBI assigned Originating Agency Identifier |

Followed by only two of the following (Selection Criteria):

| | | |
|------------|------|--|
| .NAM/<nam> | 3-30 | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .NIC/<nic> | 10 | NIC number. Number assigned by NCIC upon record entry. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|--|
| .NAM/<nam> | 3-30 | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .ORN/<orn> | 3-15 | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed by:

| | | | |
|--------|---|----------|--|
| .<doc> | 8 | required | Current date in YYYYMMDD format. There is no MFC for this field. |
|--------|---|----------|--|

CPO -- Clear Extreme Risk Protection Order

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CtRO.<ori>

Such That:

| | | | |
|----------|------|----------|---|
| Ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| t | | Optional | Message Key Qualifier |
| | | | T Temporary |
| .<ori> | 9 | | Agency's FBI assigned |

Followed by only two of the following (Selection Criteria):

| | | |
|------------|------|--|
| .NAM/<nam> | 3-30 | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .NIC/<nic> | 10 | NIC number. Number assigned by NCIC upon record entry. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly |
|------------|------|---|

.ORN/<orn> 3-15 precede the comma.
Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed.

Followed by:

.<dcl> 8 Date of Clear in YYYYMMDD format. There is no MFC for this field.

ENRO -- Enter Supplemental Extreme Risk Protection Order Data

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ENRO.<ori>

Such That:

| | | |
|----------|------|---|
| ssss | 4 | Mnemonic of Sending Device |
| rrrr | 4 | Mnemonic of Receiving Device |
| cccccccc | 1-10 | Control Field; Used for routing within the interface system |
| .<ori> | 9 | Agency's FBI assigned Originating Agency Identifier |

Followed by only two of the following (Selection Criteria):

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .NIC/<nic> | 10 | NIC number. Number assigned by NCIC upon record entry. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .ORN/<orn> | 3-15 | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed by at least one of the following (maximum 9 MFCs per transaction (each set counts as 1)):

| | | |
|------------|--------|--|
| .AKA/<aka> | 3-30 | Alias Names. |
| .DOB/<dob> | 8 | Date of Birth in YYYYMMDD format |
| .SMT/<smt> | 3-10 | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .MNU/<mnu> | 4-15 | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .SOC/<soc> | 9 | Social Security Number |
| .OLN/<oln> | 1-20 | One of Set (1) Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .<ols> | 2 | One of Set (1) Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .<oly> | 2 or 4 | One of Set (1) Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license. |
| .LIC/<lic> | 1-10 | One of Set (2) License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .<lis> | 2 | One of Set (2) License Plate State. Code as defined in the NCIC 2000 Code Manual. |
| .<liy> | 2 or 4 | One of Set (2) License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate. |
| .<lit> | 2 | One of Set (2) License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .VIN/<vin> | 1-20 | One of Set (3) Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used. |
| .<vyr> | 2-24 | One of Set (3) Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .<vma> | 2 | One of Set (3) Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vmo> | 2-3 | One of Set (3) Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .<vst> | 2 | One of Set (3) Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vco> | 3 or 7 | One of Set (3) Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |
| .CMC/<cmc> | 2 | Caution/Medical Conditions. Must be a valid NCIC-assigned code. |

| | | | |
|------------|------|----------------|---|
| .IMN/<imn> | 10 | One of Set (4) | Image number. Alphanumeric. |
| .<imt> | 1 | One of Set (4) | Image Type. Code as defined in the NCIC 2000 Code Manual. |
| .CTZ/<ctz> | 2 | | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .SID/<sid> | 3-10 | | State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states. |

XNRO -- Cancel Supplemental Extreme Risk Protection Order Data

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XNRO.<ori>

Such That:

| | | | |
|----------|------|--|---|
| ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| .<ori> | 9 | | Agency's FBI assigned Originating Agency Identifier |

Followed by only two of the following (Selection Criteria):

| | | | |
|------------|------|--|--|
| .NAM/<nam> | 3-30 | | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .NIC/<nic> | 10 | | NIC number. Number assigned by NCIC upon record entry. |
| .OCA/<oca> | 1-20 | | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | | |
|------------|------|--|--|
| .NAM/<nam> | 3-30 | | Name. The name may include alphabets, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .ORN/<orn> | 3-15 | | Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed by at least one of the following (maximum 9 MFCs per transaction (each set counts as 1)):

| | | | |
|------------|--------|---------|---|
| .AKA/<aka> | 3-30 | | Alias Names. |
| .DOB/<dob> | 8 | | Date of Birth in YYYYMMDD format |
| .SMT/<smt> | 3-10 | | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .MNU/<mnu> | 4-15 | | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .SOC/<soc> | 9 | | Social Security Number |
| .OLN/<oln> | 1-20 | Set - 1 | Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .<ols> | 2 | Set - 1 | Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .<oly> | 2 or 4 | Set - 1 | Operator License Year. Must represent the year the license expires (YYYY) or the alphabets 'NX' to represent a non-expiring license. |
| .LIC/<lic> | 1-10 | Set - 2 | License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .<lis> | 2 | Set - 2 | License Plate State. Code as defined in the NCIC 2000 Code Manual. |
| .<liy> | 2 or 4 | Set - 2 | License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabets 'NX' to represent a nonexpiring license plate. |
| .<lit> | 2 | Set - 2 | License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .VIN/<vin> | 1-20 | Set - 3 | Vehicle Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabets only, or spaces cannot be used. |
| .<vyr> | 2-24 | Set - 3 | Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .<vma> | 2 | Set - 3 | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vmo> | 2-3 | Set - 3 | Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .<vst> | 2 | Set - 3 | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vco> | 3 or 7 | Set - 3 | Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |

| | | | |
|------------|------|---------|---|
| .CMC/<cmc> | 2 | | Caution/Medical Conditions. Must be a valid NCIC-assigned code. |
| .IMN/<imn> | 10 | Set - 4 | Image number. Alphanumeric. |
| .<imt> | 1 | Set - 4 | Image Type. Code as defined in the NCIC 2000 Code Manual. |
| .CTZ/<ctz> | 2 | | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .SID<sid> | 3-10 | | State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states. |