

## Message formats for ORI Transactions

### MO -- Modify ORI

*Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.*

#### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MO.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed By (Selection Criteria):

.ORI/<ori>	9	Originating Agency Identifier. Must be a valid NCIC-assigned ORI.
------------	---	---

#### Followed by at least one of the following:

.VLN/<vln>	3-30	Validator Name.
.CT1/<ct1>	12-21	Confirmation Telephone Number (Primary). Three numerics, one space, three numerics, one hyphen, four numerics and if applicable, one space, and an alphabetic character "X" followed by the numeric extension. See NCIC 2000 Operating Manual.
.CT2/<ct2>	12-21	Confirmation Telephone Number (Secondary). Three numerics, one space, three numerics, one hyphen, four numerics and if applicable, one space, and an alphabetic character "X" followed by the numeric extension. See NCIC 2000 Operating Manual.
.CT3/<ct3>	12-21	Confirmation Telephone Number (Tertiary). Three numerics, one space, three numerics, one hyphen, four numerics and if applicable, one space, and an alphabetic character "X" followed by the numeric extension. See NCIC 2000 Operating Manual.
.SNU/<snu>	1-7	Street Number. Alphanumeric; special characters hyphen and slash permitted.
.SNA/<sna>	1-25	Street Name or Post Office Box. Alphanumeric; special characters space, hyphen, and ampersand permitted.
.CTY/<cty>	1-20	City Name. Alphabetic characters only.
.ZIP/<zip>	5 or 10	Zip Code. Five numerics, or ten characters with five numerics followed by a hyphen and another four numerics. Example: 77777 or 99999-9999.
.EML/<eml>	3-80	Agency e-mail Address. Alphabetic, numeric and special characters except period ".". "(DOT)" represents a period "." in the EML field. Example: EML/TXDPS@TX(DOT)STATE(DOT)TX(DOT)US

## ZO -- Administrative Query ORI

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ZO.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for Routing within the Interface
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed By:

.ORI/<ori>	9	Originating Agency Identifier. Must be a valid NCIC-assigned ORI.
------------	---	---

## QO -- Query ORI

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.QO.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for Routing within the Interface
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed By:

.ORI/<ori>	9	Originating Agency Identifier. Must be a valid NCIC-assigned ORI.
------------	---	---