# Message formats for Serialized Security Transactions

# **ESS -- Enter Serialized Security**

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

# Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ESS.<ori>

#### Such That:

4	Mnemonic of Sending Device
4	Mnemonic of Receiving Device
1-10	Control Field; Used for routing within the interface system
9	Agency's FBI assigned Originating Agency Identifier
	4 4 1-10 9

# Followed By:

. <typ></typ>	2	Required	Security Type. Code as defined in the NCIC 2000 Code Manual.
. <ser></ser>	3-37	Required	Serial Numbers for Consecutively Serialized Securities. Must contain a hyphen which implies the serial numbers are consecutive.
. <den></den>	1-9	Required	Denomination. Must be one to nine characters, WR, or BLANK. If numerics are used, may include a hyphen. The first character may not be a zero.
. <iss></iss>	1-15	Required	Issuer. May include hyphen and no more than one space between combinations of alphabetic and/or numeric characters.
. <own></own>	1-40	Required	Owner.
. <soc></soc>	9		Social Security Number
. <sdt></sdt>	4-9		Security Date. Code as defined in the NCIC 2000 Code Manual.
. <dot></dot>	8	Required	Date of Theft in YYYYMMDD format.
.<0ca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
. <lki></lki>	9	Cond. Set (1)	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
. <lka></lka>	1-20	Cond. Set (1)	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
. <mis></mis>	1-200		Miscellaneous. Free text.
. <noa></noa>	1		Notify Originating Agency. Must be either Y or N.
. <rmi></rmi>	1		Ransom Money Indicator. C (Counterfeit), R (Ransom), or B (Bait Money).

## MSS -- Modify Serialized Security

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

#### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MSS.<ori>

#### Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

### Followed by one of the following:

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

OR

.SER/<ser> 3-37 Serial Numbers for Consecutively Serialized Securities. Must contain a hyphen which implies

the serial numbers are consecutive.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

#### Followed by at least one of the following:

.ORI/ <ori></ori>	9	Originating Agency Identifier of the record's owner.

.VLN/<vln> 3-30 Validator Name.

.TYP/<typ> 2 Security Type. Code as defined in the NCIC 2000 Code Manual.

.DEN/<den> 1-9 Denomination. Must be one to nine characters, WR, or BLANK. If numerics are used, may

include a hyphen. The first character may not be a zero.

.ISS/<iss> 1-15 Issuer. May include hyphen and no more than one space between combinations of alphabetic

and/or numeric characters.

.OWN/<own> 1-40 Owner.

.SOC/<soc> 9 Social Security Number

.SDT/<sdt> 4-9 Security Date. Code as defined in the NCIC 2000 Code Manual.

.DOT/<dot> 8 Date of Theft in YYYYMMDD format.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

.LKI/<lki> 9 Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.

.LKA/<lka> 1-20 Linkage Case Number. The only valid special characters are the hyphen and the space. Other

exceptions are described in the NCIC 2000 Operating Manual.

.MIS/<mis> 1-200 Miscellaneous. Free text.

.NOA/<noa> 1 Notify Originating Agency. Must be either Y or N.

.RMI/<rmi> 1 Ransom Money Indicator. C (Counterfeit), R (Ransom), or B (Bait Money).

## XSS -- Cancel Serialized Security

## Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XSS.<ori>

#### Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

#### Followed by one of the following:

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

OR

.SER/<ser> 3-37 Serial Numbers for Consecutively Serialized Securities. Must contain a hyphen which implies

the serial numbers are consecutive.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

Followed By:

.<doc> 8 Date of Cancel in YYYYMMDD format.

# LSS -- Locate Serialized Security

## Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.LSS.<ori>

#### Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for Routing within the Interface .<ori> 9 Agency's FBI assigned Originating Agency Identifier

#### Followed by one of the following:

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

OR

.SER/<ser> 3-37 Serial Numbers for Consecutively Serialized Securities. Must contain a hyphen which implies

the serial numbers are consecutive.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

Followed By:

.<dor> 8 Date of Recovery in YYYYMMDD format.

.<rca> 1-20 OCA of Recovering Agency.

# **CSS -- Clear Serialized Security**

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CSS.<ori>

Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

ccccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed by only one of the following:

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

OR

.SER/<ser> 3-37 Serial Numbers for Consecutively Serialized Securities. Must contain a hyphen which implies

the serial numbers are consecutive.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by:

.<dcl> 8 Date of Clear in YYYYMMDD format.

.<rri> 9 ORI of Recovering Agency. .<rca> 1-20 OCA of Recovering Agency.