

Message formats for Supervised Release Transactions

EC -- Enter Supervised Release

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.EC-c.<ori>
```

Such That:

ssss	4		Mnemonic of Sending Device
rrrr	4		Mnemonic of Receiving Device
cccccccc	1-10		Control Field; Used for routing within the interface system
-c		Optional	Message Key Qualifier -C Caution
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

Followed By:

.<nam>	3-30	Required	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<sex>	1	Required	Sex. M=male or F=female.
.<rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<pob>	2		Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.<dob>	8	One of Set (1)	Date of Birth in YYYYMMDD format
.<hgt>	3	Required	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.<wgt>	3	Required	Weight. Minimum of 050 and maximum of 499.
.<eye>	3		Eye Color. Code as defined in the NCIC 2000 Code Manual.
.<hai>	3	Required	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.<fbi>	1-9	One of Set (1)	FBI Number. One to nine alphanumeric.
.<skn>	3		Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.<smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.<fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.<mnu>	4-15	One of Set (1)	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.<soc>	9	One of Set (1)	Social Security Number
.<oln>	1-20	One of Set (1) & Cond. Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Cond. Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Cond. Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.<ooc>	4-4		Original Offense Code.
.<oca>	1-20		Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.<mis>	1-500		Miscellaneous. Free text.

.<lic>	1-10	One of Set (1) & Cond. Set (2)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Cond. Set (2)	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Cond. Set (2)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Cond. Set (2)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.<vin>	1-20	One of Set (1) & Cond. Set (3)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4	Cond. Set (3)	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.<vma>	2-24	Cond. Set (3)	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3		Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Cond. Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7		Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.<cmc>	2		Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.<sci>	9		Sentencing Court Identifier. Must be a valid NCIC-assigned ORI.
.<inc>	1-50		Place of Incarceration. Free text. Alphanumeric and special characters.
.<doa>	8		Date of Arrest in YYYYMMDD format.
.<dpe>	6 or 8		Date of Probation/Parole Expiration in YYYYMMDD format. May be the characters NONEXP for subjects with nonexpiring dates of supervision.
.<dss>	8		Date of Start of Supervision in YYYYMMDD format.
.<son>	3-30		Name of Supervising Officer. Alphanumeric and special characters.
.<sot>	12		Business Telephone Number of Supervising Officer. Three numerics, followed by a space, followed by three numerics, followed by a hyphen, followed by four numerics. Example: 999 999-9999
.<eds>	8		Date of Release from Supervision in YYYYMMDD format.
.<ari>	9		Arresting Agency Identifier. Must be a valid NCIC-assigned ORI.
.<dpr>	Blank		Mandatory Blank Field.
.<rpr>	Blank		Mandatory Blank Field.
.<loc>	1-50		Release Location. Alphanumeric.
.<wno>	1-15		Warrant Number. Alphanumeric.
.<cri>	9		ORI of Court Issuing Warrant. Must be a valid NCIC-assigned ORI.
.<nam>	3-30	One of Set (1) & Cond. Set (4)	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. STOLEN / FRAUDULENT.
.<dob>	8	Cond. Set (4)	Date of Birth in YYYYMMDD format STOLEN / FRAUDULENT.
.<soc>	9	One of Set (1)	Social Security Number STOLEN / FRAUDULENT.
.<mnu>	4-15	One of Set (1)	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. STOLEN / FRAUDULENT.
.<oln>	1-20	One of Set (1) & Cond. Set (5)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. STOLEN / FRAUDULENT.
.<ols>	2	Cond. Set (5)	Operator License State. Code as defined in the NCIC 2000 Code Manual. STOLEN / FRAUDULENT.
.<oly>	2 or 4	Cond. Set (5)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license. STOLEN / FRAUDULENT.
.<dna>	1		DNA Available. Must be either Y or N. If Y is entered, the DLO Field must contain
.<dlo>	1-250		DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.<eml>	3-80		E-mail address. Alphanumeric and special characters except period ".". "(DOT)" represents a period "." in the EML field. Example: EML/TXDPS@TX(DOT)STATE(DOT)TX(DOT)US
.<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

MC -- Modify Supervised Release

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.MC.<ori>
```

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.MKE/<mke>	2-4	Message Key. Permits the change of the Message Key Qualifier.
.ORI/<ori>	9	Originating Agency Identifier of the record's owner.
.VLN/<vln>	3-30	Validator Name.
.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.SEX/<sex>	1	Sex. M=male or F=female.
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.POB/<pob>	2	Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.HGT/<hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.WGT/<wgt>	3	Weight. Minimum of 050 and maximum of 499.
.EYE/<eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/<hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumeric.
.SKN/<skn>	3	Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/<fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.

.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.OOC/<ooc>	4-4	Original Offense Code.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.MIS/<mis>	1-500	Miscellaneous. Free text.
.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.SCI/<sci>	9	Sentencing Court Identifier. Must be a valid NCIC-assigned ORI.
.INC/<inc>	1-50	Place of Incarceration. Free text. Alphanumeric and special characters.
.DOA/<doa>	8	Date of Arrest in YYYYMMDD format.
.DPE/<dpe>	6 or 8	Date of Probation/Parole Expiration in YYYYMMDD format. May be the characters NONEXP for subjects with nonexpiring dates of supervision.
.DSS/<dss>	8	Date of Start of Supervision in YYYYMMDD format.
.SON/<son>	3-30	Name of Supervising Officer. Alphanumeric and special characters.
.SOT/<sot>	12	Business Telephone Number of Supervising Officer. Three numerics, followed by a space, followed by three numerics, followed by a hyphen, followed by four numerics. Example: 999 999-9999
.EDS/<eds>	8	Date of Release from Supervision in YYYYMMDD format.
.ARI/<ari>	9	Arresting Agency Identifier. Must be a valid NCIC-assigned ORI.
.DPR/<dpr>	Blank	Mandatory Blank Field.
.RPR/<rpr>	Blank	Mandatory Blank Field.
.LOC/<loc>	1-50	Release Location. Alphanumeric.
.WNO/<wno>	1-15	Warrant Number. Alphanumeric.
.CRI/<cri>	9	ORI of Court Issuing Warrant. Must be a valid NCIC-assigned ORI.
.DNA/<dna>	1	DNA Available. Must be either Y or N. If Y is entered, the DLO Field must contain
.DLO/<dlo>	1-250	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.EML/<eml>	3-80	E-mail address. Alphanumeric and special characters except period ".". "(DOT)" represents a period "." in the EML field. Example: EML/TXDPS@TX(DOT)STATE(DOT)TX(DOT)US
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

XC -- Cancel Supervised Release

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XC.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed By:

.<doc>	8	Date of Cancel in YYYYMMDD format.
--------	---	------------------------------------

CC -- Clear Supervised Release

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CC.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by:

.<dcl>	8	Date of Clear in YYYYMMDD format.
.<rps>	10-21	Reason for Person Record Removal. Must be a valid NCIC-assigned code. See the NCIC 2000 Operating Manual.
.<par>	1	Persons Armed. 1 = Yes, 2 = No, or 3 = Not available. Can be entered only if RPS is entered.
.<hit>	1-2	Wanted / Missing Person Hit Results. See the NCIC 2000 Operating Manual for specific coding instructions.
.<npa>	1-3	Number of Persons Apprehended. See the NCIC 2000 Operating Manual for specific coding instructions.
.<npf>	1-20	Number of Missing Persons Found. See the NCIC 2000 Operating Manual for specific coding instructions.
.<vnp>	1-8	Value of Recovered Property. See the NCIC 2000 Operating Manual for specific coding instructions.
.<vor>	1-8	Value of Other Recovered Property. See the NCIC 2000 Operating Manual for specific coding instructions.
.<vrc>	1-8	Value of Recovered Contraband. See the NCIC 2000 Operating Manual for specific coding instructions.

ECN -- Enter Supplemental Supervised Release

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ECN.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

XCEN -- Cancel Supplemental Supervised Release

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XCN.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

ECNS -- Enter Supervised Release Supplemental Dental Data

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ECNS.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed By:

.<dxr>	1	Required	Dental X-Rays Available. Must be either Y or N.
.<mpa>	1	Required	Dental Models. Must be either Y or N.
.<dre>	1-50		Dentist's Remarks.
.<dch>	3-319	Required	Dental Characteristics. Describes the status of each tooth.

XCNS -- Cancel Supervised Release Supplemental Dental Data

Message

{ssss}TCC#\$1N01rrrr ccccccccc.XCNS.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

