

Message formats for Texas Only Temporary Protection Order Transactions

ETT -- Enter Texas Only Temporary Protection

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.ETTc.<ori>
```

Such That:

| | | | |
|----------|------|----------|---|
| ssss | 4 | | Mnemonic of Sending Device |
| rrrr | 4 | | Mnemonic of Receiving Device |
| cccccccc | 1-10 | | Control Field; Used for routing within the interface system |
| c | | Optional | Message Key Qualifier C Caution |
| .<ori> | 9 | | Agency's FBI assigned Originating Agency Identifier |

Followed By:

| | | | |
|--------|--------|---------------|--|
| .<nam> | 3-30 | Required | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .<sex> | 1 | Required | Sex. M=male, F=female or U=unknown |
| .<rac> | 1 | Required | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown |
| .<pob> | 2 | | Place of Birth. Code as defined in the NCIC 2000 Code Manual. |
| .<dob> | 8 | Required | Date of Birth in YYYYMMDD format |
| .<exp> | 6 or 8 | Required | Expiration Date. YYYYMMDD format. Must be greater than ISD. |
| .<hgt> | 3 | Required | Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711. |
| .<wgt> | 3 | Required | Weight. Minimum of 050 and maximum of 499. |
| .<eye> | 3 | Required | Eye Color. Code as defined in the NCIC 2000 Code Manual. |
| .<hai> | 3 | Required | Hair Color. Code as defined in the NCIC 2000 Code Manual. |
| .<fbi> | 1-9 | | FBI Number. One to nine alphanumerics. |
| .<skn> | 3 | | Skin Tone. Code as defined in the NCIC 2000 Code Manual. |
| .<smt> | 3-10 | | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .<fpc> | 20 | | Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. |
| .<mnu> | 4-15 | | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .<soc> | 9 | | Social Security Number |
| .<oln> | 1-20 | Cond. Set (1) | Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .<ols> | 2 | Cond. Set (1) | Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .<oly> | 2 or 4 | Cond. Set (1) | Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license. |
| .<pco> | 2 | Required | Protection Order Conditions. Numeric value 01, 02, 03, 04, 05, 06, 07, 08, and 09. |
| .<brd> | 1 | Required | Brady Indicator. Always 'N' for magistrate orders. |
| .<isd> | 8 | Required | Issue Date. YYYYMMDD format. |

| | | | |
|--------|--------|-----------------------------------|--|
| .<oca> | 1-20 | One of Set (1) | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |
| .<mis> | 1-500 | | Miscellaneous. Free text. |
| .<noa> | 1 | | Notify Originating Agency. Must be either Y or N. |
| .<lic> | 1-10 | Cond. Set (2) | License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .<lis> | 2 | Cond. Set (2) | License Plate State. Code as defined in the NCIC 2000 Code Manual. |
| .<liy> | 2 or 4 | Cond. Set (2) | License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate. |
| .<lit> | 2 | Cond. Set (2) | License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .<vin> | 1-20 | Cond. Set (3) | Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used. |
| .<vyr> | 4 | Cond. Set (3) | Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. |
| .<vma> | 2-24 | Cond. Set (3) | Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .<vmo> | 2-3 | Cond. Set (3) | Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .<vst> | 2 | Cond. Set (3) | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .<vco> | 3 or 7 | Cond. Set (3) | Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |
| .<pno> | 3-15 | One of Set (1) | Protection Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |
| .<cti> | 9 | | Court Assigned ORI. |
| .<ppn> | 3-30 | Required | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. (of Protected Person). |
| .<psx> | 1 | Cond. Set (4) | Sex. M=male, F=female or U=unknown (of Protected Person). |
| .<ppr> | 1 | Cond. Set (4) | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown (of Protected Person). |
| .<ppb> | 8 | One of Set (2) & Cond. Set (4) | Date of Birth in YYYYMMDD format (of Protected Person). |
| .<cmc> | 2 | | Caution / Medical Conditions. Must be a valid NCIC-assigned code. |
| .<psn> | 9 | One of Set (2) & Cond. Set (4) | Social Security Number (of Protected Person). |
| .<dna> | 1 | | DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data. |
| .<dlo> | 1-250 | | DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank. |
| .<ctz> | 2 | | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .<ctd> | 3-30 | Required | Court Descriptor. Name of Court issuing the Protective Order. |
| .<eth> | 1 | | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown |
| .<sid> | 3-10 | | State ID Number. The first two characters must be a valid state code. The remaining characters must be numeric for Texas or alphanumeric for other states. |
| .<rpp> | 2 | Required | Relationship to Protected Person. Numeric value 01-19. |
| .<adr> | 1-30 | Required | Address of Respondent. |
| .<adc> | 1-20 | Required | City of Respondent. |
| .<ads> | 2 | Required | State of Respondent. |
| .<adz> | 5 or 9 | Required | Zip of Respondent. |
| .<acc> | 3 | Required | County Code. Numeric value 001 - 254, representing the Texas County Code. (of Respondent). |
| .<ppe> | 1 | | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown (of Protected Person). |

| | | | |
|--------|--------|---------------|--|
| .<ppa> | 1-30 | Cond. Set (5) | Address of Protected Person. |
| .<ppc> | 1-20 | Cond. Set (5) | City of Protected Person. |
| .<pst> | 2 | Cond. Set (5) | State of Protected Person. |
| .<ppz> | 5 or 9 | Cond. Set (5) | Zip of Protected Person. |
| .<pcc> | 3 | Required | County Code. Numeric value 001 - 254, representing the Texas County Code. (of Protected Person). |
| .<pen> | 1-20 | Cond. Set (6) | Employment Name of Protected Person. |
| .<pea> | 1-30 | Cond. Set (6) | Address of Protected Person's Employment. |
| .<pec> | 1-20 | Cond. Set (6) | City of Protected Person's Employment. |
| .<pes> | 2 | Cond. Set (6) | State of Protected Person's Employment. |
| .<pez> | 5 or 9 | Cond. Set (6) | Zip of Protected Person's Employment. |

MTT -- Modify Texas Only Temporary Protection

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MTT.<ori>

Such That:

| | | |
|----------|------|---|
| ssss | 4 | Mnemonic of Sending Device |
| rrrr | 4 | Mnemonic of Receiving Device |
| cccccccc | 1-10 | Control Field; Used for routing within the interface system |
| .<ori> | 9 | Agency's FBI assigned Originating Agency Identifier |

Followed by one of the following:

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .PNO/<pno> | 3-15 | Protection Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed by at least one of the following:

| | | |
|------------|--------|--|
| .MKE/<mke> | 3-4 | Message Key. Permits the change of the Message Key Qualifier. |
| .ORI/<ori> | 9 | Originating Agency Identifier of the record's owner. |
| .VLN/<vln> | 3-30 | Validator Name. |
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .SEX/<sex> | 1 | Sex. M=male, F=female or U=unknown |
| .RAC/<rac> | 1 | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown |
| .POB/<pob> | 2 | Place of Birth. Code as defined in the NCIC 2000 Code Manual. |
| .DOB/<dob> | 8 | Date of Birth in YYYYMMDD format |
| .EXP/<exp> | 6 or 8 | Expiration Date. YYYYMMDD format. Must be greater than ISD. |
| .HGT/<hgt> | 3 | Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711. |
| .WGT/<wgt> | 3 | Weight. Minimum of 050 and maximum of 499. |
| .EYE/<eye> | 3 | Eye Color. Code as defined in the NCIC 2000 Code Manual. |
| .HAI/<hai> | 3 | Hair Color. Code as defined in the NCIC 2000 Code Manual. |
| .FBI/<fbi> | 1-9 | FBI Number. One to nine alphanumerics. |
| .SKN/<skn> | 3 | Skin Tone. Code as defined in the NCIC 2000 Code Manual. |
| .SMT/<smt> | 3-10 | Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual. |
| .FPC/<fpc> | 20 | Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. |

| | | |
|------------|--------|--|
| .MNU/<mnu> | 4-15 | Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only. |
| .SOC/<soc> | 9 | Social Security Number |
| .OLN/<oln> | 1-20 | Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. |
| .OLS/<ols> | 2 | Operator License State. Code as defined in the NCIC 2000 Code Manual. |
| .OLY/<oly> | 2 or 4 | Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license. |
| .PCO/<pco> | 2 | Protection Order Conditions. Numeric value 01, 02, 03, 04, 05, 06, 07, 08, and 09. |
| .BRD/<brd> | 1 | Brady Indicator. Always 'N' for magistrate orders. |
| .ISD/<isd> | 8 | Issue Date. YYYYMMDD format. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |
| .MIS/<mis> | 1-500 | Miscellaneous. Free text. |
| .NOA/<noa> | 1 | Notify Originating Agency. Must be either Y or N. |
| .LIC/<lic> | 1-10 | License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance. |
| .LIS/<lis> | 2 | License Plate State. Code as defined in the NCIC 2000 Code Manual. |
| .LIY/<liy> | 2 or 4 | License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate. |
| .LIT/<lit> | 2 | License Plate Type. Code as defined in the NCIC 2000 Code Manual. |
| .VIN/<vin> | 1-20 | Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used. |
| .VYR/<vyr> | 4 | Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. |
| .VMA/<vma> | 2-24 | Vehicle Make. Code as defined in the NCIC 2000 Code Manual. |
| .VMO/<vmo> | 2-3 | Vehicle Model. Code as defined in the NCIC 2000 Code Manual. |
| .VST/<vst> | 2 | Vehicle Style. Code as defined in the NCIC 2000 Code Manual. |
| .VCO/<vco> | 3 or 7 | Vehicle Color. Code as defined in the NCIC 2000 Code Manual. |
| .PNO/<pno> | 3-15 | Protection Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |
| .CTI/<cti> | 9 | Court Assigned ORI. |
| .PPN/<ppn> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. (of Protected Person). |
| .PSX/<psx> | 1 | Sex. M=male, F=female or U=unknown (of Protected Person). |
| .PPR/<ppr> | 1 | Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown (of Protected Person). |
| .PPB/<ppb> | 8 | Date of Birth in YYYYMMDD format (of Protected Person). |
| .CMC/<cmc> | 2 | Caution / Medical Conditions. Must be a valid NCIC-assigned code. |
| .PSN/<psn> | 9 | Social Security Number (of Protected Person). |
| .DNA/<dna> | 1 | DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data. |
| .DLO/<dlo> | 1-250 | DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank. |
| .CTZ/<ctz> | 2 | Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual. |
| .CTD/<ctd> | 3-30 | Court Descriptor. Name of Court issuing the Protective Order. |
| .ETH/<eth> | 1 | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown |

| | | |
|------------|--------|--|
| .SID/<sid> | 3-10 | State ID Number. The first two characters must be a valid state code. The remaining characters must be numeric for Texas or alphanumeric for other states. |
| .RPP/<rpp> | 2 | Relationship to Protected Person. Numeric value 01-19. |
| .ADR/<adr> | 1-30 | Address of Respondent. |
| .ADC/<adc> | 1-20 | City of Respondent. |
| .ADS/<ads> | 2 | State of Respondent. |
| .ADZ/<adz> | 5 or 9 | Zip of Respondent. |
| .ACC/<acc> | 3 | County Code. Numeric value 001 - 254, representing the Texas County Code. (of Respondent). |
| .PPE/<ppe> | 1 | Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown (of Protected Person). |
| .PPA/<ppa> | 1-30 | Address of Protected Person. |
| .PPC/<ppc> | 1-20 | City of Protected Person. |
| .PST/<pst> | 2 | State of Protected Person. |
| .PPZ/<ppz> | 5 or 9 | Zip of Protected Person. |
| .PCC/<pcc> | 3 | County Code. Numeric value 001 - 254, representing the Texas County Code. (of Protected Person). |
| .PEN/<pen> | 1-20 | Employment Name of Protected Person. |
| .PEA/<pea> | 1-30 | Address of Protected Person's Employment. |
| .PEC/<pec> | 1-20 | City of Protected Person's Employment. |
| .PES/<pes> | 2 | State of Protected Person's Employment. |
| .PEZ/<pez> | 5 or 9 | Zip of Protected Person's Employment. |

XTO -- Cancel Texas Only Temporary Protection Order

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XTO.<ori>

Such That:

| | | |
|----------|------|---|
| ssss | 4 | Mnemonic of Sending Device |
| rrrr | 4 | Mnemonic of Receiving Device |
| cccccccc | 1-10 | Control Field; Used for routing within the interface system |
| .<ori> | 9 | Agency's FBI assigned Originating Agency Identifier |

Followed by one of the following:

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .PNO/<pno> | 3-15 | Protection Order Number. A unique number assigned by the court. Alphanumerics plus hyphen allowed. |

Followed By:

| | | |
|--------|---|------------------------------------|
| .<doc> | 8 | Date of Cancel in YYYYMMDD format. |
|--------|---|------------------------------------|

CTO -- Clear Texas Only Temporary Protection Order

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CTO.<ori>

Such That:

| | | |
|----------|------|---|
| ssss | 4 | Mnemonic of Sending Device |
| rrrr | 4 | Mnemonic of Receiving Device |
| cccccccc | 1-10 | Control Field; Used for routing within the interface system |
| .<ori> | 9 | Agency's FBI assigned Originating Agency Identifier |

Followed by only one of the following:

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .OCA/<oca> | 1-20 | Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual. |

OR

| | | |
|------------|------|---|
| .NAM/<nam> | 3-30 | Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma. |
| .PNO/<pno> | 3-15 | Protection Order Number. A unique number assigned by the court. Alphanumeric plus hyphen allowed. |

Followed by:

| | | |
|--------|---|-----------------------------------|
| .<dcl> | 8 | Date of Clear in YYYYMMDD format. |
|--------|---|-----------------------------------|