

Message formats for Threat to Peace or Detention Officer Transactions

EOT -- Enter Threat to Peace or Detention Officer

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.EOTc.<ori>
```

Such That:

ssss	4		Mnemonic of Sending Device
rrrr	4		Mnemonic of Receiving Device
cccccccc	1-10		Control Field; Used for routing within the interface system
c		Optional	Message Key Qualifier C Caution
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

Followed By:

.<nam>	3-30	Required	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<sex>	1	Required	Sex. M=male, F=female or U=unknown
.<rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<pob>	2		Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.<dob>	8	One of Set (1)	Date of Birth in YYYYMMDD format
.<dpo>	8		Date Peace Officer was Notified of the Threat in YYYYMMDD format.
.<hgt>	3		Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.<wgt>	3		Weight. Minimum of 050 and maximum of 499.
.<eye>	3		Eye Color. Code as defined in the NCIC 2000 Code Manual.
.<hai>	3		Hair Color. Code as defined in the NCIC 2000 Code Manual.
.<fbi>	1-9		FBI Number. One to nine alphanumeric.
.<skn>	3		Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.<smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.<fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.<mnu>	4-15	One of Set (1)	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.<soc>	9	One of Set (1)	Social Security Number
.<oln>	1-20	One of Set (1) & Cond. Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Cond. Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Cond. Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.<thr>	1		Threat Reason. 1=Disagrees with Police Authority; 2=Retaliation.
.<tht>	2	Required	Type of Threat. Specific Officer: 01=In Person; 02=Via Telephone; 03=Letter; 04=Informal Note; 05=E-Mail
.<dtm>	8	Required	Date Threat Made in YYYYMMDD format.

.<oca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.<lki>	9	Cond. Set (2)	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
.<lka>	1-20	Cond. Set (2)	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.<npo>	3-30		Name of Peace Officer Threatened.
.<sri>	9		ORI of Peace Officer Threatened.
.<mis>	1-500		Miscellaneous. Free text.
.<noa>	1		Notify Originating Agency. Must be either Y or N.
.<lic>	1-10	One of Set (1) & Cond. Set (3)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Cond. Set (3)	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Cond. Set (3)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Cond. Set (3)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.<vin>	1-20	One of Set (1)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4		Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.<vma>	2-24		Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3		Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2		Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7		Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.<cmc>	2		Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.<poc>	1-30		Point of Contact. Free text.
.<cno>	10		Contact Phone Number. Ten numeric digits. Example: 5124442000.
.<rti>	1		Repeat Threatener Information. Must be either Y or N.
.<lcl>	1		Likelihood Code Level. 1=Probable; 2=Possible; 3=Unknown.
.<blank>	Blank		Mandatory Blank Field.
.<phs>	1		Past History of Violence. Must be either Y or N.
.<phc>	1		Previous charge or conviction for crimes against peace officers. Must be Y or N.
.<hln>	1		Hair Length. 1=shoulder; 2=collar; 3=eartop; 4=short; 5=bald/balding; 6=other.
.<hst>	1		Hair Style. 1=afro, 2=wavy, 3=shag, 4=straight, 5=braided, 6=ponytail, 7=razor cut, or 8=other.
.<hfc>	1		Facial Hair. 1=full beard, 2=goatee, 3=mustache, 4=unusual sideburns, 5=other, or 6=none.
.<dna>	1		DNA Available. Must be either Y or N. If Y is entered, the DLO Field must contain
.<ind>	1		Image Indicator. Must be either Y or N.
.<gph>	1		Generic Photo. Must be either Y or N. If Y is entered, the MIS Field must contain information regarding obtaining generic photo.
.<fei>	1		Firearms / Explosives Experience. Must be either Y or N.
.<gng>	1-22		Group Name (Gang). Free text.
.<wpi>	1-30		Any known weapon information. Free text.
.<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

MOT -- Modify Threat to Peace or Detention Officer

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.MOT.<ori>
```

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.MKE/<mke>	3-4	Message Key. Permits the change of the Message Key Qualifier.
.ORI/<ori>	9	Originating Agency Identifier of the record's owner.
.NAM/<nam>	3-30	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.SEX/<sex>	1	Sex. M=male, F=female or U=unknown
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.POB/<pob>	2	Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.DPO/<dpo>	8	Date Peace Officer was Notified of the Threat in YYYYMMDD format.
.HGT/<hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.WGT/<wgt>	3	Weight. Minimum of 050 and maximum of 499.
.EYE/<eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/<hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumerics.
.SKN/<skn>	3	Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/<fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.

.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.THR/<thr>	1	Threat Reason. 1=Disagrees with Police Authority; 2=Retaliation.
.THT/<tht>	2	Type of Threat. Specific Officer: 01=In Person; 02=Via Telephone; 03=Letter; 04=Informal Note; 05=E-Mail
.DTM/<dtm>	8	Date Threat Made in YYYYMMDD format.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.LKI/<lki>	9	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
.LKA/<lka>	1-20	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.NPO/<npo>	3-30	Name of Peace Officer Threatened.
.SRI/<sri>	9	ORI of Peace Officer Threatened.
.MIS/<mis>	1-500	Miscellaneous. Free text.
.NOA/<noa>	1	Notify Originating Agency. Must be either Y or N.
.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.POC/<poc>	1-30	Point of Contact. Free text.
.CNO/<cno>	10	Contact Phone Number. Ten numeric digits. Example: 5124442000.
.RTI/<rti>	1	Repeat Threatener Information. Must be either Y or N.
.LCL/<lcl>	1	Likelihood Code Level. 1=Probable; 2=Possible; 3=Unknown.
.PHS/<phs>	1	Past History of Violence. Must be either Y or N.
.PHC/<phc>	1	Previous charge or conviction for crimes against peace officers. Must be Y or N.
.HLN/<hln>	1	Hair Length. 1=shoulder; 2=collar; 3=eartop; 4=short; 5=bald/balding; 6=other.
.HST/<hst>	1	Hair Style. 1=afro, 2=wavy, 3=shag, 4=straight, 5=braided, 6=ponytail, 7=razor cut, or 8=other.
.HFC/<hfc>	1	Facial Hair. 1=full beard, 2=goatee, 3=mustache, 4=unusual sideburns, 5=other, or 6=none.
.DNA/<dna>	1	DNA Available. Must be either Y or N. If Y is entered, the DLO Field must contain
.IND/<ind>	1	Image Indicator. Must be either Y or N.
.GPH/<gph>	1	Generic Photo. Must be either Y or N. If Y is entered, the MIS Field must contain information regarding obtaining generic photo.
.FEI/<fei>	1	Firearms / Explosives Experience. Must be either Y or N.
.GNG/<gng>	1-22	Group Name (Gang). Free text.
.WPI/<wpi>	1-30	Any known weapon information. Free text.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

XOT -- Cancel Threat to Peace or Detention Officer

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XOT.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed By:

.<doc>	8	Date of Cancel in YYYYMMDD format.
--------	---	------------------------------------

QOT -- Query Threat to Peace or Detention Officer

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.QOT.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for Routing within the Interface
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By:

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
------------	------	---

And at least one of the following

.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumeric.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.

Or

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Or / And

.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.

Or / And

.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.

And optionally with Name and Numeric Identifier

.SEX/<sex>	1	Sex. M=male or F=female.
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown

ENTO -- Enter Supplemental Threat to Peace or Detention Officer

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ENTO.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.SOC/<soc>	9	Social Security Number
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.OLN/<oln>	1-20	Set - 1 Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Set - 1 Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Set - 1 Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	Set - 2 License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Set - 2 License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Set - 2 License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Set - 2 License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Set - 3 Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4	Set - 3 Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.<vma>	2-24	Set - 3 Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	Set - 3 Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Set - 3 Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	Set - 3 Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

XNTO -- Cancel Supplemental Threat to Peace or Detention Officer

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XNTO.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.SOC/<soc>	9	Social Security Number
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.OLN/<oln>	1-20	Set - 1 Operator's License Set. Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Set - 1 Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Set - 1 Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.LIC/<lic>	1-10	Set - 2 License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Set - 2 License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Set - 2 License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Set - 2 License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Set - 3 Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream. Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4	Set - 3 Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.<vma>	2-24	Set - 3 Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	Set - 3 Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Set - 3 Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	Set - 3 Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.