## Message formats for Unidentified Persons Transactions

#### **EU -- Enter Unidentified Persons**

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EUc.<ori>

#### Such That:

SSSS rrrr cccccccccc	4 4 1-10		Mnemonic of Sending Device Mnemonic of Receiving Device Control Field; Used for routing within the interface system
C	1-10	Mandatory	Message Key Qualifier D Deceased V Catastrophe Victim L Living
. <ori></ori>	9		Agency's FBI assigned Originating Agency Identifier
Followed By:			

. <bps></bps>	3 or 15		Body Part Status. Mandatory for EUD or EUV. Must be blank for EUL.
. <sex></sex>	1	Required	Sex. M=male, F=female or U=unknown
. <rac></rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
. <eyb></eyb>	9		Estimated Year of Birth. Four digit year followed by a hyphen followed by a four digit year. Mandatory when BPS is ALF, all Fs, ALD or All Ds.
. <edd></edd>	8		Estimated Date of Death in YYYYMMDD format. DD may be 00 if unknown. If MM is also unknown it may be 00 as well. Must be blank for EUL.
. <dbf></dbf>	8	Required	Date Body Found in YYYYMMDD format.
. <hgt></hgt>	3 or 7	Required	Approximate Height. UNK or 3 numerics followed by a hyphen followed by 3 numerics (example: 506-508).
. <wgt></wgt>	3 or 7	Required	Approximate Weight. UNK or 3 numerics followed by a hyphen followed by 3 numerics (example: 150-170).
. <eye></eye>	3	Required	Eye Color. Code as defined in the NCIC 2000 Code Manual.
. <hai></hai>	3	Required	Hair Color. Code as defined in the NCIC 2000 Code Manual.
. <smt></smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
. <fpc></fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. Mandatory when MKE is EUD or EUV.
.<0Ca>	1-20	Required	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
. <lki></lki>	9	Cond. Set (1)	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
. <lka></lka>	1-20	Cond. Set (1)	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
. <mis></mis>	1-500		Miscellaneous. Free text.
. <noa></noa>	1		Notify Originating Agency. Must be either Y or N.
. <blt></blt>	4-5		Blood Type. Code as Defined in NCIC 2000 Code Manual.
. <crc></crc>	1		Circumcision. Blank when SEX = F. Must be a valid NCIC 2000 code.
. <fpa></fpa>	1		Footprints Available. Must be either Y or N. Mandatory when MKE is EUD or EUV.
. bxr>	1	Required	Body X-ray. Must be a valid NCIC 2000 code.
. <vrx></vrx>	1-40		Corrective Vision Prescription. Free Text.

. <cda></cda>	1-30	Manner and Cause of Death. Mandatory for EUD or EUV.
. <jwt></jwt>	1-50	Jewelry Type.
. <jwl></jwl>	1-100	Jewelry Description. Free Text.
. <man></man>	1-50	Medical Examiner / Coroner Agency Name and Case number. Free Text.
. <mal></mal>	1-30	Medical Examiner / Coroner Locality. City and State.
. <mat></mat>	12	Medical Examiner/ Coroner Telephone. 3 numerics, space, three numerics, hyphen, 4 numerics.
. <dna></dna>	1	DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data.
. <dlo></dlo>	1-250	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.

## **MU -- Modify Unidentified Persons**

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

## Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.MU.<ori>

### Such That:

SSSS	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
222222222	1-10	Control Field; Used for routing within the interface system
. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier

### Followed by at least one of the following:

.MKE/ <mke></mke>	3-3	Message Key. Permits the change of the Message Key Qualifier.
.ORI/ <ori></ori>	9	Originating Agency Identifier of the record's owner.
.VLN/ <vln></vln>	3-30	Validator Name.
.BPS/ <bps></bps>	3 or 15	Body Part Status. Mandatory for EUD or EUV. Must be blank for EUL.
.SEX/ <sex></sex>	1	Sex. M=male, F=female or U=unknown
.RAC/ <rac></rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.EYB/ <eyb></eyb>	9	Estimated Year of Birth. Four digit year followed by a hyphen followed by a four digit year. Mandatory when BPS is ALF, all Fs, ALD or All Ds.
.EDD/ <edd></edd>	8	Estimated Date of Death in YYYYMMDD format. DD may be 00 if unknown. If MM is also be 00 as well. Must be blank for EUL.
.DBF/ <dbf></dbf>	8	Date Body Found in YYYYMMDD format.
.HGT/ <hgt></hgt>	3 or 7	Approximate Height. UNK or 3 numerics followed by a hyphen followed by 3 numerics (example: 506-508).
.WGT/ <wgt></wgt>	3 or 7	Approximate Weight. UNK or 3 numerics followed by a hyphen followed by 3 numerics (example: 150-170).
.EYE/ <eye></eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/ <hai></hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.SMT/ <smt></smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/ <fpc></fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used. Mandatory when MKE is EUD or EUV.
.OCA/ <oca></oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.LKI/ <lki></lki>	9	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
.LKA/ <lka></lka>	1-20	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.MIS/ <mis></mis>	1-500	Miscellaneous. Free text.
.NOA/ <noa></noa>	1	Notify Originating Agency. Must be either Y or N.
.BLT/ <blt></blt>	4-5	Blood Type. Code as Defined in NCIC 2000 Code Manual.
.CRC/ <crc></crc>	1	Circumcision. Blank when SEX = F. Must be a valid NCIC 2000 code.
.FPA/ <fpa></fpa>	1	Footprints Available. Must be either Y or N. Mandatory when MKE is EUD or EUV.
.BXR/ <bxr></bxr>	1	Body X-ray. Must be a valid NCIC 2000 code.
.VRX/ <vrx></vrx>	1-40	Corrective Vision Prescription. Free Text.
.CDA/ <cda></cda>	1-30	Manner and Cause of Death. Mandatory for EUD or EUV.

.JWT/ <jwt> 1-50</jwt>	Jewelry Type.
.JWL/ <jwl> 1-100</jwl>	Jewelry Description. Free Text.
.MAN/ <man> 1-50</man>	Medical Examiner / Coroner Agency Name and Case number. Free Text.
.MAL/ <mal> 1-30</mal>	Medical Examiner / Coroner Locality. City and State.
.MAT/ <mat> 12</mat>	Medical Examiner/ Coroner Telephone. 3 numerics, space, three numerics, hyphen, 4 numerics.
.DNA/ <dna> 1</dna>	DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data.
.DLO/ <dlo> 1-250</dlo>	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.

# **XU -- Cancel Unidentified Persons**

# Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.XU.<ori>

# Such That:

rrrr ccccccccc	4 4 1-10 9	Mnemonic of Sending Device Mnemonic of Receiving Device Control Field; Used for routing within the interface system Agency's FBI assigned Originating Agency Identifier
Followed By:	8	Date of Cancel in YYYYMMDD format.
Followed Optiona	- ally By: 10-21	Reason for Person Record Removal.

# QU -- Query Unidentified Persons

## Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.QU.<ori>

### Such That:

Suc	ssss rrrr ccccccccc . <ori></ori>	4 4 1-10 9	Mnemonic of Sending Device Mnemonic of Receiving Device Control Field; Used for Routing within the Interface Agency's FBI assigned Originating Agency Identifier
Foll	owed By:		
	.BPS/ <bps></bps>	15	Body Part Status.
	.SEX/ <sex></sex>	1	Sex. M=male, F=female or U=unknown
	.RAC/ <rac></rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
	.ARE/ <are></are>	2-3	Area. Valid state code or Valid State code followed by an asterisk.
Or			
0.	.AGE/ <age></age>	1-2	Age.
	.SEX/ <usex></usex>	1	Sex. M=male or F=female.
	.RAC/ <rac></rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
	.EYE/ <eye></eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
	.HAI/ <hai></hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
	.HGT/ <hgt></hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
	.WGT/ <wgt></wgt>	3	Weight. Minimum of 050 and maximum of 499.
Or			
	.NIC/ <nic></nic>	10	NIC number. Number assigned by NCIC upon record entry.
	.RSH/ <rsh></rsh>	1	Related Search Hit. Must be either Y or N.
Or			
0,	.OCA/ <oca></oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

### **CU -- Clear Unidentified Persons**

## Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CU.<ori>

Such	That:		

SSSS	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
222222222	1-10	Control Field; Used for routing within the interface system
. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier
Followed by:		
. <dcl></dcl>	8	Date of Clear in YYYYMMDD format.
Followed Optic	onally By:	
. <rps></rps>	1	Reason for Person Record Removal. Must be a valid NCIC-assigned code. See the NCIC 2000 Operating Manual for specific coding instructions.

## **EUN -- Enter Supplemental Unidentified Persons**

## Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.EUN.<ori>

### Such That:

SSSS rrrr	4 4	Mnemonic of Sending Device Mnemonic of Receiving Device
ccccccccc	1-10	Control Field; Used for routing within the interface system
. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed by at least one of the following: .SMT/<smt> 3-10 Scars

Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.

## **XUN -- Cancel Supplemental Unidentified Persons**

Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.XUN.<ori>

#### Such That:

SSSS	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
2222222222	1-10	Control Field; Used for routing within the interface system
. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed by at least one of the following:

.SMT/<smt> 3-10

Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.