

Message formats for VGTOF-GRC Transactions

EGG -- Enter VGTOF-GRC

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EGGc.<ori>

Such That:

ssss	4		Mnemonic of Sending Device
rrrr	4		Mnemonic of Receiving Device
cccccccc	1-10		Control Field; Used for routing within the interface system
c		Optional	Message Key Qualifier
			T Terrorist organization
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

Followed By:

.<gng>	1-22	Required	Group Name (Gang). Free text.
.<sgp>	1-35	Required	Subgroup Name (Gang). Free text.
.<poc>	1-50	Required	Point of Contact. Free text.
.<tto>	3-35		Identifying tattoos.
.<drs>	1-25		Identifying Dress.
.<hnd>	1-25		Identifying Hand Signals.
.<gti>	1-25		Identifying Graffiti.
.<mis>	1-250		Miscellaneous. Free text.

MGG -- Modify VGTOF-GRC

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MGG.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.GNG/<gng>	1-22	Group Name (Gang). Free text.
.SGP/<sgp>	1-35	Subgroup Name (Gang). Free text.

Followed by at least one of the following:

.ORI/<ori>	9	Originating Agency Identifier of the record's owner.
.POC/<poc>	1-50	Point of Contact. Free text.
.TTO/<tto>	3-35	Identifying tattoos.
.DRS/<drs>	1-25	Identifying Dress.
.HND/<hnd>	1-25	Identifying Hand Signals.
.GTI/<gti>	1-25	Identifying Graffiti.
.MIS/<mis>	1-250	Miscellaneous. Free text.

XGG -- Cancel VGTOF-GRC

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XGG.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.GNG/<gng>	1-22	Group Name (Gang). Free text.
.SGP/<sgp>	1-35	Subgroup Name (Gang). Free text.

Followed By:

.<doc>	8	Date of Cancel in YYYYMMDD format.
--------	---	------------------------------------

QGG -- Query VGTOF-GRC

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.QGG.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for Routing within the Interface
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By:

.GNG/<gng> 1-22 Group Name (Gang). Free text.

Or / And

.SGP/<sgp> 1-35 Subgroup Name (Gang). Free text.

EGGN -- Enter Supplemental VGTOF-GRC

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EGGN.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.GNG/<gng> 1-22 Group Name (Gang). Free text.

.SGP/<sgp> 1-35 Subgroup Name (Gang). Free text.

Followed by at least one of the following:

.TTO/<tto> 3-35 Identifying tattoos.

.DRS/<drs> 1-25 Identifying Dress.

.HND/<hnd> 1-25 Identifying Hand Signals.

.GTI/<gti> 1-25 Identifying Graffiti.

XGGN -- Cancel Supplemental VGTOF-GRC

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XGGN.<ori>

Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.GNG/<gng>	1-22	Group Name (Gang). Free text.
.SGP/<sgp>	1-35	Subgroup Name (Gang). Free text.

Followed by at least one of the following:

.TTO/<tto>	3-35	Identifying tattoos.
.DRS/<drs>	1-25	Identifying Dress.
.HND/<hnd>	1-25	Identifying Hand Signals.
.GTI/<gti>	1-25	Identifying Graffiti.