

## Message formats for Violent Person Transactions

### EVP -- Enter Violent Person

*Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.*

#### Message Structure:

```
{ssss}TCC#$1N01rrrr ccccccccc.EVPc.<ori>
```

#### Such That:

ssss	4		Mnemonic of Sending Device
rrrr	4		Mnemonic of Receiving Device
cccccccc	1-10		Control Field; Used for routing within the interfacesystem
c		Optional	Message Key Qualifier C Caution
.<ori>	9		Agency's FBI assigned Originating Agency Identifier

#### Followed By:

.<nam>	3-30	Required	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.<sex>	1	Required	Sex. M=male, F=female or U=unknown
.<rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.<pob>	2		Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.<ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
.<dob>	8	Required	Date of Birth in YYYYMMDD format
.<hgt>	3	Required	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.<wgt>	3	Required	Weight. Minimum of 050 and maximum of 499.
.<eye>	3	Required	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.<hai>	3	Required	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.<fbi>	1-9		FBI Number. One to nine alphanumeric.
.<skn>	3		Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.<smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.<fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.<mnu>	4-15		Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.<soc>	9		Social Security Number
.<oln>	1-20	Cond. Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Cond. Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Cond. Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.<oca>	1-20	One of Set (1)	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.<lki>	9		Linkage Agency ORI
.<lka>	3-20		Linkage Agency Case Number.
.<dna>	1		DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data.
.<dlo>	1-250		DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.<cmc>	2		Cause / Medical Conditions. Must be a valid NCIC-assigned code.
.<lic>	1-10	Cond. Set (2)	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Cond. Set (2)	License Plate State. Code as defined in the NCIC 2000 Code Manual.

.<liy>	2 or 4	Cond. Set (2)	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Cond. Set (2)	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.<vin>	1-20	Cond. Set (3)	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vyr>	4	Cond. Set (3)	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one..
.<vma>	2-24	Cond. Set (3)	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vmo>	2-3	Cond. Set (3)	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Cond. Set (3)	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	Cond. Set (3)	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.<mis>	1-500		Miscellaneous. Free text.
.<etn>	1		Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.<vpc>	1		Violent Person Code. Numeric. Code as defined in the NCIC 2000 Code Manual.
.<sid>	3-10		State ID Number. The first two characters must be a valid state code. The remaining characters must be numeric for Texas or alphanumeric for other states.
.<noa>	1		Notify Originating Agency. Must be either Y or N.

## MVP -- Modify Violent Person

*Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.*

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.MVP.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed by only two of the following (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.NIC/<nic>	10	NIC number. Number assigned by NCIC upon record entry.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

#### Followed by at least one of the following:

.MKE/<mke>	3-4	Message Key. Permits the change of the Message Key Qualifier.
.ORI/<ori>	9	Originating Agency Identifier of the record's owner.
.LIC-VCO/<>	{null}	Removes all data in LIC and VCO sets
.VLN/<vln>	3-30	Validator Name.
.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.SEX/<sex>	1	Sex. M=male, F=female or U=unknown
.RAC/<rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.POB/<pob>	2	Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.CTZ/<ctz>	2	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.HGT/<hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.WGT/<wgt>	3	Weight. Minimum of 050 and maximum of 499.
.EYE/<eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/<hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.FBI/<fbi>	1-9	FBI Number. One to nine alphanumerics.

.SKN/<skn>	3	Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/<fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/<soc>	9	Social Security Number
.OLN/<oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.OLS/<ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.OLY/<oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX' to represent a non-expiring license.
.OFF/<off>	4-24	Offense Code.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.LKI/<lki>	9	Linkage Agency ORI
.LKA/<lka>	3-20	Linkage Agency Case Number.
.DNA/<dna>	1	DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data.
.DLO/<dlo>	1-250	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or defaulted to N, then the DLO must be blank.
.CMC/<cmc>	2	Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.LIC/<lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
.LIS/<lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/<liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.LIT/<lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.VYR/<vyr>	4	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one.
.VMA/<vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.VMO/<vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.VST/<vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.VCO/<vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.MIS/<mis>	1-500	Miscellaneous. Free text.
.ETN/<etn>	1	Ethnicity. H=Hispanic, N=Non-hispanic, or U=Unknown
.SID/<sid>	3-10	State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states.
.NOA/<noa>	1	Notify Originating Agency. Must be either Y or N.

## XVP -- Cancel Violent Person

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XVP.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed by only two of the following (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.NIC/<nic>	10	NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

*Followed by:*

. <doc> 8 required Date of Cancel in YYYYMMDD format.

## ENVP – Enter Violent Person Supplemental

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ENVP.<ori>

*Such That:*

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

*Followed by only two of the following (Selection Criteria):*

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.NIC/<nic>	10	NIC number. Number assigned by NCIC upon record entry.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

*Followed by at least one of the following:*

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.SOC/<soc>	9	Social Security Number
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.OLN/<oln>	1-20	Set - 1 Operator's License Set.Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Set - 1 Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Set - 1 Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX'to represent a non-expiring license.
.LIC/<lic>	1-10	Set - 2 License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Set - 2 License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Set - 2 License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Set - 2 License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Set - 3 Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream.
.<vyr>	4	Set - 3 Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vma>	2-24	Set - 3 Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.<vmo>	2-3	Set - 3 Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Set - 3 Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	Set - 3 Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Set - 3 Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.IMN/<imn>	10	Set - 4 Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.<imt>	1	Set - 4 Image number. Alphanumeric.
.CTZ/<ctz>	2	Set - 4 Image Type. Code as defined in the NCIC 2000 Code Manual.
.SID/<sid>	3-10	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
		State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states.

## XNVP – Cancel Violent Person Supplemental

### Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.XNVP.<ori>

#### Such That:

ssss	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
.<ori>	9	Agency's FBI assigned Originating Agency Identifier

#### Followed by only two of the following (Selection Criteria):

.NAM/<nam>	3-30	Name. The name may include alphabetic, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.NIC/<nic>	10	NIC number. Number assigned by NCIC upon record entry.
.OCA/<oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.

#### Followed by at least one of the following:

.AKA/<aka>	3-30	Alias Names.
.DOB/<dob>	8	Date of Birth in YYYYMMDD format
.SMT/<smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.SOC/<soc>	9	Social Security Number
.MNU/<mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.OLN/<oln>	1-20	Set - 1 Operator's License Set.Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.<ols>	2	Set - 1 Operator License State. Code as defined in the NCIC 2000 Code Manual.
.<oly>	2 or 4	Set - 1 Operator License Year. Must represent the year the license expires (YYYY) or the alphabetic 'NX'to represent a non-expiring license.
.LIC/<lic>	1-10	Set - 2 License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC. License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
.<lis>	2	Set - 2 License Plate State. Code as defined in the NCIC 2000 Code Manual.
.<liy>	2 or 4	Set - 2 License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetic 'NX' to represent a nonexpiring license plate.
.<lit>	2	Set - 2 License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/<vin>	1-20	Set - 3 Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a placeholder period should be included in the stream.
.<vyr>	4	Set - 3 Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetic only, or spaces cannot be used.
.<vma>	2-24	Set - 3 Must represent the model year during which the vehicle was manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Year.
.<vmo>	2-3	Set - 3 Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
.<vst>	2	Set - 3 Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
.<vco>	3 or 7	Set - 3 Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
.CMC/<cmc>	2	Set - 3 Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.IMN/<imn>	10	Set - 4 Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.<imt>	1	Set - 4 Image number. Alphanumeric.
.CTZ/<ctz>	2	Set - 4 Image Type. Code as defined in the NCIC 2000 Code Manual.
.SID/<sid>	3-10	Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.
		State ID Number. The first two characters must be a valid state code. The remaining numeric for Texas or alphanumeric for other states.