Message formats for Wanted Person Transactions including Temporary and Juvenile

EW -- Enter Wanted Person

Note: Entry formats are positional. All fields must be accounted for with a period even if the field is not mandatory. Field prefixes are not permitted. A "Cond. Set" means that if one of the fields is entered all of the fields in the set are required. A "One of Set" means that at least one of the fields in the set is required.

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EW-c.<ori> (ET for Temporary, EWJ for Juvenile)

Suci	h	TH	าล	+٠
\mathcal{L}_{u}	•	,,	ıu	ι.

ssss 4 rrrr 4 ccccccccc	1-10	Optional	Mnemonic of Sending Device Mnemonic of Receiving Device Control Field; Used for routing within the interface system Message Key Qualifier -C Caution (no dash for EWJ for Juvenile)
. <ori></ori>	9		Agency's FBI assigned Originating Agency Identifier
Followed By:			
. <nam></nam>	3-30	Required	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the firstposition or directly precede the comma.
. <sex></sex>	1	Required	Sex. M=male, F=female or U=unknown
. <rac></rac>	1	Required	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
. <pob></pob>	2		Place of Birth. Code as defined in the NCIC 2000 Code Manual.
. <dob></dob>	8		One of Set (1) Date of Birth in YYYYMMDD format
. <doe></doe>	8		Date of Emancipation in YYYYMMDD format. Mandatory blank field for adult records.
. <hgt></hgt>	3	Required	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
. <wgt></wgt>	3	Required	Weight. Minimum of 050 and maximum of 499.
. <eye></eye>	3		Eye Color. Code as defined in the NCIC 2000 Code Manual.
. <hai></hai>	3	Required	Hair Color. Code as defined in the NCIC 2000 Code Manual.
. <fbi></fbi>	1-9	One of Set (1)	FBI Number. One to nine alphanumerics.
. <skn></skn>	3		Skin Tone. Code as defined in the NCIC 2000 Code Manual.
. <smt></smt>	3-10		Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
. <fpc></fpc>	20		Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
. <mnu></mnu>	4-15	One of Set (1)	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through15 must not contain a single zero or a run of zeros only.
. <soc></soc>	9	One of Set (1)	Social Security Number
. <oln></oln>	1-20	One of Set (1)	Operator License Number. Alphanumeric. Single zero only or run of zeros only
		& Cond. Set (1)	may not be used.
. <ols></ols>	2	Cond. Set (1)	Operator License State. Code as defined in the NCIC 2000 Code Manual.
. <oly></oly>	2 or 4	Cond. Set (1)	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX' to represent a non-expiring license.
. <off></off>	4-24	Required	Offense Code.
.<00C>	4-4		Original Offense Code.
. <dov></dov>	8	Required	Date of Violation in YYYYMMDD format.
. <oca></oca>	1-20	One of Set (1)	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
. <lki></lki>	9		Linkage Agency ORI
. <lka></lka>	3-20		Linkage Agency Case Number.
. <wno></wno>	1-15		Warrant Number. Alphanumeric.
. <cti></cti>	9		Court Assigned ORI.
. <mis></mis>	1-500		Miscellaneous. Free text.
. <noa></noa>	1		Notify Originating Agency. Must be either Y or N.
. <lic></lic>	1-10		License Plate Number. If the license plate number exceeds ten characters, only the last ten

		characters should be used. If the LIC is UNK, UNKN or UNKNOWN, contact NCIC CJIS Division for assistance.
. <lis></lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
. <liy></liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics
		'NX' to represent a nonexpiring license plate.
. <lit></lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
. <vin></vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetics only, or spaces cannot be used.
. <vyr></vyr>	4	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY).
		Must be less than or equal to the current year plus one.
. <vma></vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
. <vmo></vmo>	2-3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
. <vst></vst>	2	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
. <vco></vco>	3 or 7	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
. <cmc></cmc>	2	Caution/Medical Conditions. Must be a valid NCIC-assigned code.
. <nam></nam>	3-30	STOLEN/FRAUDULENT Name. The name may include alphabetics, numerics, a comma, hyphen(s),
		and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
. <dob></dob>	8	STOLEN/FRAUDULENT Date of Birth in YYYYMMDD format
. <soc></soc>	9	STOLEN/FRAUDULENT Social Security Number
. <mnu></mnu>	4-15	STOLEN/FRAUDULENT Miscellaneous Number. Alphanumeric. The first two characters must be
	. 10	a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must
		not contain a single zero or a run of zeros only.
. <oln></oln>	1-20	STOLEN/FRAUDULENT Operator License Number. Alphanumeric. Single zero only or run of zeros
		only may not be used.
. <ols></ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
. <oly></oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX'
		to represent a non-expiring license.
. <exl></exl>	1-2	Extradition Limitation. Must be a valid NCIC-assigned code as listed in the Personal Descriptors Chapter of the NCIC 2000 Code Manual.
. <dna></dna>	1	DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data.
. <dlo></dlo>	1-250	DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA field is N or
		defaulted to N, then the DLO must be blank.
. <ctz></ctz>	2	Citizenship. Country code as defined in the NCIC 2000 Code Manual.
. <snu></snu>	1-7	Street Number
. <sna></sna>	1-25	Street Name
. <cty></cty>	3-20	City Name
. <cou></cou>	20	County Name
. <sta></sta>	2	State Name. Code as in NCIC 2000 Code Manual
<zip></zip>	5-10	ZIP Code. If 10 numerics, sixth position must be hyphen.
. <add></add>	2	Address Type Designmented Date in VVVVMMDD format
. <dda> .<etn></etn></dda>	8 1	Documented Date in YYYYMMDD format Ethnicity. Code as listed in the Personal Descriptors Chapter of the NCIC 2000 Code Manual.
. <ado></ado>	1	Additional Offense. Y or N

MW -- Modify Wanted Person

3-10

Note: To Delete a non-Mandatory field, send the MFC (prefix) with no data. Once modified, the record must adhere to the entry rules.

State Identification Number. Issued by the state at time of entry.

Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.MW.<ori>

Such That:

.<sid>

SSSS	4	Mnemonic of Sending Device
rrrr	4	Mnemonic of Receiving Device
cccccccc	1-10	Control Field; Used for routing within the interface system
. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier

Followed by only two of the following (Selection Criteria):

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and

spaces. The comma must follow the last name. The hyphen cannot be in the first position $\frac{1}{2}$

or directly precede the comma.

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

ilowea by at i	least one of the follov	ving:
.MKE/ <mke></mke>	2-4	Message Key. Permits the change of the Message Key Qualifier.
.ORI/ <ori></ori>	9	Originating Agency Identifier of the record's owner.
.VLN/ <vln></vln>	3-30	Validator Name.
.LIC-VCO/<>	{null}	Removes all data in LIC and VIN sets
.SNU-DDA/<>	· {null}	Removes all data in all address sets
.NAM/ <nam></nam>	•	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
.SEX/ <sex></sex>	1	Sex. M=male, F=female or U=unknown
.RAC/ <rac></rac>	1	Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or U=Unknown
.POB/ <pob></pob>	2	Place of Birth. Code as defined in the NCIC 2000 Code Manual.
.DOB/ <dob></dob>	8	Date of Birth in YYYYMMDD format
.DOE/ <doe></doe>	8	Date of Emancipation in YYYYMMDD format. Mandatory blank field for adult records.
.HGT/ <hgt></hgt>	3	Height. The first character represents feet and the second and third represent inches. Must be a minimum of 400 but not more than a maximum of 711.
.WGT/ <wgt></wgt>	3	Weight. Minimum of 050 and maximum of 499.
.EYE/ <eye></eye>	3	Eye Color. Code as defined in the NCIC 2000 Code Manual.
.HAI/ <hai></hai>	3	Hair Color. Code as defined in the NCIC 2000 Code Manual.
.FBI/ <fbi></fbi>	1-9	FBI Number. One to nine alphanumerics.
.SKN/ <skn></skn>	3	Skin Tone. Code as defined in the NCIC 2000 Code Manual.
.SMT/ <smt></smt>	3-10	Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.
.FPC/ <fpc></fpc>	20	Fingerprint Classification. Code as defined in the NCIC 2000 Code Manual. If the first character of any finger is numeric, the second character must also be numeric. Codes 00 and 50 may not be used.
.MNU/ <mnu></mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through15 must not contain a single zero or a run of zeros only.
.SOC/ <soc></soc>	9	Social Security Number
.OLN/ <oln></oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used. Operator's License Set.
.OLS/ <ols></ols>	2	Operator License State. Code as defined in the NCIC 2000 Code Manual.
.OLY/ <oly></oly>	2 or 4	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX' to represent a non-expiring license.
.OFF/ <off></off>	4-24	Offense Code.
.DOW/ <dow></dow>		Date of Warrant in YYYYMMDD format.
.OCA/ <oca></oca>		Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.LKI/ <lki></lki>	9	Linkage Agency Identifier. Must be a valid NCIC-assigned ORI.
.LKA/ <lka></lka>	1-20	Linkage Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
.MIS/ <mis></mis>	1-500	Miscellaneous. Free text.
.NOA/ <noa></noa>	1	Notify Originating Agency. Must be either Y or N.
.LIC/ <lic></lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contactNCIC CJIS Division for assistance. License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC.
.LIS/ <lis></lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
.LIY/ <liy></liy>	2 or 4	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics 'NX' to represent a nonexpiring license plate.
.LIT/ <lit></lit>	2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.

Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, .VIN/<vin> 1-20 single alphabetic only, all alphabetics only, or spaces cannot be used. VehicularData Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, aplaceholder period should be included in the stream. Vehicle Year. Must represent the model year during which the vehicle was .VYR/<vyr> manufactured (YYYY). Must be less than or equal to the current year plus one. Vehicle Make. Code as defined in the NCIC 2000 Code Manual. .VMA/<vma> 2-24 .VMO/<vmo> 2-3 Vehicle Model. Code as defined in the NCIC 2000 Code Manual. Vehicle Style. Code as defined in the NCIC 2000 Code Manual. .VST/<vst> .VCO/<vco> 3 or 7 Vehicle Color. Code as defined in the NCIC 2000 Code Manual. Caution / Medical Conditions. Must be a valid NCIC-assigned code. .CMC/<cmc> 2 Extradition Limitation. Must be a valid NCIC-assigned code as listed in the Personal Descriptors .EXL/<exl> Chapter of the NCIC 2000 Code Manual. .DNA/<dna> DNA Profile Indicator. Y or N. If Y is entered, the DLO Field must contain information regarding obtaining DNA data. DNA Location. Free text. Alphabetic, numeric and special characters. If the DNA .DLO/<dlo> 1-250 field is N or defaulted to N, then the DLO must be blank. .OOC/<ooc> 4-4 Original Offense Code. Warrant Number. Alphanumeric. .WNO/<wno> 1-15 .CTI/<cti> Court Assigned ORI. .DOV/<dov> 8 Date of Violation in YYYYMMDD format .CTZ/<ctz> 2 Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC2000 Code Manual. Street Number .SNU/<snu> Street Name .SNA/<sna> 1-25 .CTY/<cty> 3-20 City Name .COU/<cou> County Name 20 .STA/<sta> 2 State Name. Code as in NCIC 2000 Code Manual 5-10 ZIP Code. If 10 numerics, sixth position must be hyphen. .ZIP/<zip> Address Type, Code as defined in the NCIC 2000 Code Manual. .ADD/<add> 2

XW -- Cancel Wanted Person

8

1

1

3-10

Message Structure:

.DDA/<dda>

.ETN/<etn>

.SID/<sid>

.ADO/<ado>

{ssss}TCC#\$1N01rrrr ccccccccc.XW.<ori>

Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed by only two of the following (Selection Criteria):

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and

Documented Date in YYYYMMDD format

Additional Offense, Y or N.

spaces. The comma must follow the last name. The hyphen cannot be in the first position or

Ethnicity. Code as listed in the Personal Descriptors Chapter of the NCIC 2000 Code Manual.

directly precede the comma.

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space.

Other exceptions are described in the NCIC 2000 Operating Manual.

State Identification Number. Issued by the state at time of entry.

Followed By:

.<doc> 8 Date of Cancel in YYYYMMDD format.

Followed Optionally By:

.<rps> 10-21 Reason for Person Record Removal.

ZW -- Administrative Query Wanted Person

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.ZW-c.<ori>

Such That:

SSSS 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

1-10 Control Field; Used for routing within the interface system CCCCCCCC

-c

Optional Message Key Qualifier

TCIC Only -T

.<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed By:

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma

must follow the last name. The hyphen cannot be in the first position or directly precede the comma.

And at least one of the following numeric identifiers:

.DOB/ <dob></dob>	8	Date of Birth in YYYYMMDD format
.FBI/ <fbi></fbi>	1-9	FBI Number. One to nine alphanumerics.
.MNU/ <mnu></mnu>	4-15	Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code. The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or a run of zeros only.
.SOC/ <soc></soc>	9	Social Security Number
.OLN/ <oln></oln>	1-20	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
.LIC/ <lic></lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
.VIN/ <vin></vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetics only, or spaces cannot be used.

Followed optionally by

.RSH/ <rsh></rsh>	1	Related Search Hit. Must be either Y or N.
.ENS/ <ens></ens>	1	Expanded Name Search. Must be either Y or N.

And optionally with NAM and DOB

10

	.SEX/ <sex></sex>	1	Sex. M=male or F=female.
	.RAC/ <rac></rac>	1	Race. A=Asian or Pacific Islander, B=Black,
	.EBS/ <ebs></ebs>	0-1	Expanded Date of Birth Search. Must be either 1, 2, 3 or blank.
Or			
	.NAM/ <nam></nam>	3-30	Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.

.OCA/ <oca></oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the
		space. Other exceptions are described in the NCIC 2000 Operating Manual.

.NIC/<nic>

NIC number. Number assigned by NCIC upon record entry.

And optionally

.RSH/<rsh> Related Search Hit. Must be either Y or N. 1

Or

Or

.LIC/<lic> 1-10 License Plate Number. If the license plate number exceeds ten characters, only the last

ten characters should be used.

2 License Plate State. Code as defined in the NCIC 2000 Code Manual. .LIS/<lis>

And optionally

.RSH/<rsh> Related Search Hit. Must be either Y or N. 1

Or

.VIN/<vin> 1-20 Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all alphabetics only, or spaces cannot be used.

2-24 Vehicle Make. Code as defined in the NCIC 2000 Code Manual. .VMA/<vma>

And optionally

.RSH/<rsh> Related Search Hit. Must be either Y or N. 1

QW -- Query Wanted Person

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.QW-c.<ori>

Such That:

SSSS 4 Mnemonic of Sending Device 4 Mnemonic of Receiving Device rrrr

1-10 Control Field; Used for Routing within the Interface ccccccc

Optional Α Query All -c

Е Query Extraditable F Query Felony S Query State -X Exact match on DOB

.<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed By:

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and

spaces. The comma must follow the last name. The hyphen cannot be in the first

position or directly precede the comma.

And at least one of the following numeric identifiers

.DOB/<dob> Date of Birth in YYYYMMDD format.

.FBI/<fbi> 1-9 FBI Number. One to nine alphanumerics.

.MNU/<mnu> 4-15 Miscellaneous Number. Alphanumeric. The first two characters must be a valid

NCIC-assigned code. The third character must be a hyphen. Positions 4 through15

must not contain a single zero or a run of zeros only.

.SOC/<soc> 9 Social Security Number

.OLN/<oln> 1-20 Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.

.LIC/<lic> License Plate Number. If the license plate number exceeds ten characters, only the last ten 1-10

characters should be used.

.VIN/<vin> 1-20 Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic

only, all alphabetics only, or spaces cannot be used.

Followed optionally by

.RSH/<rsh> 1 Related Search Hit. Must be either Y or N.

1 Expanded Name Search. Must be either Y or N. .ENS/<ens>

And optionally with NAM and DOB

.SEX/<sex> Sex. M=male or F=female.

.RAC/<rac> Race. A=Asian or Pacific Islander, B=Black, I=American Indian or Alaskan Native, W=White, or

U=Unknown

Expanded Date of Birth Search. Must be either 1, 2, 3 or blank. .EBS/<ebs> 0 - 1

Or

Or

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The

comma must follow the last name. The hyphen cannot be in the firstposition or directly precede

the comma.

Originating Case Number. The only valid special characters are the hyphen and the space. Other .OCA/<oca> 1-20

exceptions are described in the NCIC 2000 Operating Manual.

.NIC/<nic> 10 NIC number. Number assigned by NCIC upon record entry.

And optionally

Or	.RSH/ <rsh></rsh>	1	Related Search Hit. Must be either Y or N.
· ·	.LIC/ <lic></lic>	1-10	License Plate Number. If the license plate number exceeds ten characters, only the last ten characters should be used.
	.LIS/ <lis></lis>	2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
And	optionally		
7 11 7 0	.RSH/ <rsh></rsh>	1	Related Search Hit. Must be either Y or N.
Or			
	.VIN/ <vin></vin>	1-20	Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic only, all aplhabetics only, or spaces cannot be used.
	.VMA/ <vma></vma>	2-24	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
And	optionally		
	.RSH/ <rsh></rsh>	1	Related Search Hit. Must be either Y or N.
LW	Locate	Wanted Person	or LT Locate Temporary Felon
Mes	ssage Struc	cture:	
	_	\$1N01rrrr ccccccccc.l	_W. <ori></ori>
Suc	ch That:		
	SSSS	4	Mnemonic of Sending Device
	rrrr	4 1-10	Mnemonic of Receiving Device Control Field; Used for Routing within the Interface
	. <ori></ori>	9	Agency's FBI assigned Originating Agency Identifier
Foll	owed By (Se	election Criteria):	
1011	.NAM/ <nam></nam>		Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The comma must follow the last name. The hyphen cannot be in the first position or directly precede the comma.
	.OCA/ <oca></oca>	1-20	Originating Case Number. The only valid special characters are the hyphen and the space. Other exceptions are described in the NCIC 2000 Operating Manual.
Foll	owed By:		
	. <dor></dor>	8	Date of Recovery in YYYYMMDD format.
	. <rca></rca>	1-20	OCA of Recovering Agency.
r _o u	. <ext></ext>	4	Extradition. EXTR, NOEX or DETN.
FOII	owed Optior	nally by:	
	. <rps></rps>	10-21	Reason for Person Record Removal. Must be a valid NCIC-assigned code. See the NCIC 2000 Operating Manual.
	. <par></par>	1	Persons Armed. $1 = Yes$, $2 = No$, or $3 = Not$ available. Can be entered only if RPS is entered.
	. <hit></hit>	1-2	Wanted / Missing Person Hit Results. See the NCIC 2000 Operating Manual for specific coding instructions.
	. <npa></npa>	1-3	Number of Persons Apprehended. See the NCIC 2000 Operating Manual for specific coding instructions.

. <rps></rps>	10-21	Reason for Person Record Removal. Must be a valid NCIC-assigned code. See the NCIC 2000
		Operating Manual.
. <par></par>	1	Persons Armed. $1 = Yes$, $2 = No$, or $3 = Not$ available. Can be entered only if RPS is entered.
. <hit></hit>	1-2	Wanted / Missing Person Hit Results. See the NCIC 2000 Operating Manual for specific coding instructions.
. <npa></npa>	1-3	Number of Persons Apprehended. See the NCIC 2000 Operating Manual for specific coding instructions.
. <npf></npf>	1-20	Number of Missing Persons Found. See the NCIC 2000 Operating Manual for specific coding instructions.
. <vnp></vnp>	1-8	Value of Recovered Property. See the NCIC 2000 Operating Manual for specific coding instructions.
. <vor></vor>	1-8	Value of Other Recovered Property. See the NCIC 2000 Operating Manual for specific coding instructions.
. <vrc></vrc>	1-8	Value of Recovered Contraband. See the NCIC 2000 Operating Manual for specific coding instructions.

CW -- Clear Wanted Person

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.CW.<ori>

such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The

comma must follow the last name. The hyphen cannot be in the first position or directly precede

the comma.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space. Other

exceptions are described in the NCIC 2000 Operating Manual.

Followed by:

.<hit>

.<vor>

.<dcl> 8 Date of Clear in YYYYMMDD format.

.<rri> 9 ORI of Recovering Agency. .<rca> 1-20 OCA of Recovering Agency.

Followed Optionally By:

1-2

.<rps> 10-21 Reason for Person Record Removal. Must be a valid NCIC-assigned code. See the NCIC 2000

Operating Manual.

.<par> 1 Persons Armed. 1 = Yes, 2 = No, or 3 = Not available. Can be entered only if RPS is entered.

Wanted / Missing Person Hit Results. See the NCIC 2000 Operating Manual for specific coding

instructions.

.<npa> 1-3 Number of Persons Apprehended. See the NCIC 2000 Operating Manual for specific coding

instructions.

.<npf> 1-20 Number of Missing Persons Found. See the NCIC 2000 Operating Manual for specific coding

instructions.

.<vnp> 1-8 Value of Recovered Property. See the NCIC 2000 Operating Manual for specific coding instructions.

1-8 Value of Other Recovered Property. See the NCIC 2000 Operating Manual for specific coding

instructions.

.<vrc> 1-8 Value of Recovered Contraband. See the NCIC 2000 Operating Manual for specific coding

instructions.

EN -- Enter Supplemental Wanted Person

Message Structure:

{ssss}TCC#\$1N01rrrr ccccccccc.EN.<ori>

Such That:

ssss 4 Mnemonic of Sending Device rrrr 4 Mnemonic of Receiving Device

cccccccc 1-10 Control Field; Used for routing within the interface system .<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The

comma must follow the last name. The hyphen cannot be in the first position or directly precede

the comma.

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space. Other

exceptions are described in the NCIC 2000 Operating Manual.

Followed by at least one of the following:

.AKA/<aka> 3-30 Alias Names.

.DOB/<dob> 8 Date of Birth in YYYYMMDD format

.SMT/<smt> 3-10 Scars, Marks, Tattoos and Other Characteristics. Code as defined in the NCIC 2000 Code Manual.

.SOC/<soc> 9 Social Security Number

.MNU/<mnu> 4-15 Miscellaneous Number. Alphanumeric. The first two characters must be a valid NCIC-assigned code.

The third character must be a hyphen. Positions 4 through 15 must not contain a single zero or

.OLN/ <oln></oln>	1-20	Set - 1	a run of zeros only. Operator's License Set.
.OLIV/ < OIII >	1-20	3et - 1	Operator License Number. Alphanumeric. Single zero only or run of zeros only may not be used.
. <ols></ols>	2	Set - 1	Operator License State. Code as defined in the NCIC 2000 Code Manual.
. <oly></oly>	2 or 4	Set - 1	Operator License Year. Must represent the year the license expires (YYYY) or the alphabetics 'NX'
1 1017	2 0	560 1	to represent a non-expiring license.
.LIC/ <lic></lic>	1-10	Set - 2	License Plate Set. If one is entered all are required. Each Set of license plate data must be
			preceded by MFC.
			License Plate Number. If the license plate number exceeds ten characters, only the last ten
			characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
. <lis></lis>	2	Set - 2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
. <liy></liy>	2 or 4	Set - 2	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics
			'NX' to represent a nonexpiring license plate.
. <lit></lit>	2	Set - 2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/ <vin></vin>	1-20	Set - 3	Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a
			placeholder period should be included in the stream.
			Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic
			only, all alphabetics only, or spaces cannot be used.
. <vyr></vyr>	4	Set - 3	Must represent the model year during which the vehicle was manufactured (YYYY). Must be less
			than or equal to the current year plus one. Vehicle Year.
. <vma></vma>	2-24	Set - 3	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
. <vmo></vmo>	2-3	Set - 3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
. <vst></vst>	2	Set - 3	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
. <vco></vco>	3 or 7	Set - 3	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/ <cmc></cmc>	2		Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/ <ctz></ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.

XN -- Cancel Supplemental Wanted Person

Message Structure:

{ssss}TCC#\$1N01rrrr cccccccc.XN.<ori>

Such That:

	1 10	Combined Fields Hand for marchine
rrrr	4	Mnemonic of Receiving Device
SSSS	4	Mnemonic of Sending Device

Control Field; Used for routing within the interface system 1-10 CCCCCCCC .<ori> 9 Agency's FBI assigned Originating Agency Identifier

Followed By (Selection Criteria):

.NAM/<nam> 3-30 Name. The name may include alphabetics, numerics, a comma, hyphen(s), and spaces. The

comma must follow the last name. The hyphen cannot be in the first position or directly precede

.OCA/<oca> 1-20 Originating Case Number. The only valid special characters are the hyphen and the space. Other

exceptions are described in the NCIC 2000 Operating Manual.

Follo

e NCIC 2000 Code Manual.
e a valid NCIC-assigned code t contain a single zero or
ros only may not be used.
al.
YY) or the alphabetics

			'NX' to represent a non-expiring license.
.LIC/ <lic></lic>	1-10	Set - 2	License Plate Set. If one is entered all are required. Each Set of license plate data must be preceded by MFC.
			License Plate Number. If the license plate number exceeds ten characters, only the last ten
			characters should be used. If the LIC is UNK, UNKN, or UNKNOWN, contact NCIC CJIS Division for assistance.
. <lis></lis>	2	Set - 2	License Plate State. Code as defined in the NCIC 2000 Code Manual.
. <liy></liy>	2 or 4	Set - 2	License Plate Year. Must represent the year the license plate expires (YYYY) or the alphabetics
			'NX' to represent a nonexpiring license plate.
. <lit></lit>	2	Set - 2	License Plate Type. Code as defined in the NCIC 2000 Code Manual.
.VIN/ <vin></vin>	1-20	Set - 3	Vehicular Data Set. VIN, VYR, VMA, and VST are required. If VMO or VCO is excluded, a
			placeholder period should be included in the stream.
			Vehicle Identification Number. Alphanumeric. Single zero only, run of zeros only, single alphabetic
			only, all alphabetics only, or spaces cannot be used.
. <vyr></vyr>	4	Set - 3	Vehicle Year. Must represent the model year during which the vehicle was manufactured (YYYY).
			Must be less than or equal to the current year plus one.
. <vma></vma>	2-24	Set - 3	Vehicle Make. Code as defined in the NCIC 2000 Code Manual.
. <vmo></vmo>	2-3	Set - 3	Vehicle Model. Code as defined in the NCIC 2000 Code Manual.
. <vst></vst>	2	Set - 3	Vehicle Style. Code as defined in the NCIC 2000 Code Manual.
. <vco></vco>	3 or 7	Set - 3	Vehicle Color. Code as defined in the NCIC 2000 Code Manual.
.CMC/ <cmc></cmc>	2		Caution / Medical Conditions. Must be a valid NCIC-assigned code.
.CTZ/ <ctz></ctz>	2		Citizenship. Must be a valid NCIC-assigned country code as defined in the NCIC 2000 Code Manual.